Animal Production Level IV

Based on March 2022, Version 4 Occupational Standard



Module Title: Conducting Poultry Hatchery Activities

LG Code: AGR ANP4 M04 LO (1-4) LG (14-17)

TTLM Code: AGR ANP4 TTLM 0923v1

September, 2023

Addis Ababa, Ethiopia

Contents

Introduction to the module 1

LO#1- Hatchery house construction and fulfilling facilities 2

Instruction sheet 2

Information Sheet 1 3

Self-check 1 14

Operation Sheet -1 17

LAP test 1 19

LO#2- Prepare materials, tools and equipment 20

Instruction sheet 20

Information Sheet 2 21

Self-check 2 33

Operation Sheet -2 36

LAP test-2 37

LO#3- Undertake hatchery operations 38

Instruction sheet 38

Information Sheet 3 40

Self-check 3 64

Operation Sheet -3 70

LAP Test-3 73

LO#4-Monitor, review and improve hatchery performance 74

Instruction sheet 74

Information Sheet 4 76

Self-check 4 91

References 93

Introduction to the module

This module covers the knowledge, skills and attitude to perform hatchery operation that required hatchery house construction and fulfilling facilities, prepare materials, tools and equipment, undertake hatchery operations, monitor review and improve hatchery performance. Poultry hatchery activities is the process of hatching and rearing chicks from fertilized eggs Hatchery management is a crucial aspect of poultry production that focuses on the successful incubation of eggs and the production of healthy and robust chicks. A well-managed hatchery plays a significant role in ensuring the supply of quality chicks for poultry farms, thereby contributing to the profitability and sustainability of the poultry industry. The primary goal of hatchery management is to optimize the hatchability rate, ensuring a high percentage of viable eggs that successfully hatch into healthy chicks. This involves creating and maintaining an optimal environment for egg incubation, implementing proper handling and sanitation practices, and employing effective disease prevention and control measures.

A successful hatchery management program encompasses various important factors. These include facility design and equipment selection, careful egg handling procedures, precise incubation techniques, adherence to bio security protocols, vaccination programs, and effective chick management to being profitable.

LG # 14	LO#1- Hatchery house construction and fulfilling facilities

Instruction sheet

This learning guide is developed to provide you the necessary information regarding the following **content coverage** and topics –

- Selecting appropriate site
- Identifying requirements for hatchery house construction
- Planning hatchery house construction design and layout
- Constructing hatchery house
- Identifying facilities used in hatchery house

This guide will also assist you to attain the learning outcome stated in the cover page. Specifically, upon completion of this Learning Guide, you will be able to –

- Select appropriate site
- Identify requirements for hatchery house construction
- Plan hatchery house construction design and layout
- Construct hatchery house
- Identify facilities used in hatchery house

Learning Instructions:

1. Read the specific objectives of this Learning Guide.
2. Follow the instructions described below.
3. Read the information written in the “Information Sheets”. Try to understand what are being discussed. Ask your trainer for assistance if you have hard time understanding them.
4. Accomplish the “Self-checks” which are placed following all information sheets.
5. Ask from your trainer the key to correction (key answers) or you can request your trainer to correct your work. (You are to get the key answer only after you finished answering the Self-checks).

6.If you earned a satisfactory evaluation proceed to “Operation sheets

Information Sheet 1

1.1.Selecting appropriate site

Site selection for a poultry hatchery is a crucial step in establishing a successful operation. The chosen site should meet specific requirements to ensure optimal conditions for egg incubation, hatching, and the subsequent rearing of chicks. Appropriate site selection has significant impact on the success and efficiency of hatchery operations.

Here are some industry requirements to consider when choosing a site:

Accessibility: A good location with good accessibility to major transportation routes, such as highways or main roads. This will facilitate the transportation of inputs (such as eggs) and the distribution of chicks to customers.

Utilities: Ensure that the site has access to essential utilities, including:

- Reliable electricity supplies
- Clean water sources
- Proper sewage or waste management systems

Zoning and Regulations: To ensure that the chosen site is zoned for agricultural or industrial use and complies with all relevant regulations including:

- Setback distances
- Environmental impact assessments, and
- Bio security measures.

Bio security Considerations: This is important that: minimizes the risk of disease transmission. Avoid locations near other poultry farms, wild bird habitat, areas with a high risk of disease outbreaks. To prevailing wind direction and the to prevent potential contamination from neighboring properties.

Environmental Factors: are to assess environmental factors such as temperature, humidity, and air quality because of Extreme weather conditions, such as excessive heat or cold, can negatively impact hatchery operations. Choose a site where the natural environmental conditions are conducive to poultry production, or be prepared to invest in appropriate climate control systems.

Expansion Potential: Evaluating the potential land for future expansion and available for:

- Additional buildings
- Equipment or
- Infrastructure to accommodate the growth of the hatchery business

Security: Site that provides a secure environment for the hatchery operations to be selected by considering factors such as:

- Crime rates
- Proximity to unauthorized access points, and
- The availability of security measures such as fencing or surveillance systems.

Environmental Impact: it is also needed that assessing the potential impact of the hatchery on the surrounding environment by considering factors such as:

- Noise levels
- Odors
- Waste management
- Potential for water or air pollution

Local Workforce: The availability of a skilled workforce in the area is also considered. These were qualified personnel like:

- Hatchery technicians
- Veterinarians
- Support staff, can contribute to the smooth operation of the hatchery
- Proximity to training centers specializing in poultry management (attracting and retaining skilled personnel)

Market Proximity: Market must be access to customers/consumers such as:

- Poultry farmers
- Live bird markets
- Processing plants
- Reduce transportation costs and ensure timely delivery of chicks.

It is advisable to consult with poultry industry experts, agricultural authorities, and local regulatory agencies to ensure compliance with all legal requirements and to obtain guidance specific to your region. Site selection is a critical decision, and a thorough analysis of these industry requirements will help determine the most suitable location for establishing a hatchery house.

1.2.Identifying requirements for hatchery house construction

Identifying requirements for hatchery house construction involves determining the specific needs and considerations for building a facility that will house and support the hatching and rearing of various types of animals, such as poultry, fish, or reptiles. Here is a general description of the key requirements involved**.**

1.3.1. Construction Materials

Select durable and easy-to-clean materials for the construction of the hatchery house. Common choices include concrete, steel, and high-quality insulation materials. Ensure that the materials meet relevant building codes and regulations

1.3.2 Equipment and Machinery

Identify the specific equipment and machinery required for the hatchery operations, such as incubators, hatchers, ventilation systems, generators, and automation systems. Consult with suppliers or manufacturers to determine the technical specifications and space requirements for each equipment item.

1.3.3 Utilities and Infrastructure

Determine the infrastructure requirements, including electrical connections, plumbing, water supply, drainage systems, and waste management facilities. Ensure that the hatchery has sufficient power capacity, water sources, and proper waste disposal methods.

1.3.4 **Budget and Financial Planning**

Determine the budget for the hatchery construction project, including costs for materials, labor, equipment, and professional services. Develop a financial plan that considers both the construction phase and ongoing operational costs.

1.3.5 Timelines and Project Management:Establish a project timeline and engage with contractors, suppliers, and other stakeholders to ensure smooth execution of the construction project. Consider appointing a project manager or construction consultant to oversee the process

1.3. Planning hatchery house construction design and layout

Hatchery house construction and layout refer to the design and construction of a facility specifically designed for hatching and rearing poultry or other animals. A well-designed hatchery house provides optimal conditions for the incubation and hatching of eggs, as well as the subsequent care and growth of young chicks. Before constructing a hatchery, house planning and overall activity must be considered. General Key aspects to the planning of hatchery house construction and layout are:

Define Goals and Objectives: during planning establishment of hatchery clearly identify:

- Goals and objectives for the hatchery
- Determine the target species or species groups intend to breed and rear
- The production capacity
- The intended market for the hatchery's products

Conduct a Feasibility Study: is assessing the technical, economic, and environmental feasibility to determine the viability and sustainability of the hatchery must required by considering factors such as:

- Market demand
- Potential competition
- Production costs
- Available resources and
- Regulatory requirements

Site Selection: Appropriate site for the hatchery is selected based on criteria mentioned earlier.

Develop a Business Plan: Create a comprehensive business plan that serve as a roadmap for hatchery's development and operation includes details on:

- Production systems
- Facility design
- Equipment needs
- Staffing requirements
- Marketing strategies, and
- Financial projections

Obtain Permits and Licenses: Permission licenses for hatchery establishments are important to ensure compliance with regulations, maintain quality standards, prevent disease spread, build consumer trust, protect the environment, and manage risks effectively. They provide a framework for responsible and sustainable operations in the hatchery industry. Research and obtain the necessary permits, licenses, and approvals required to establish and operate the hatchery.

This may include:

- Environmental permits
- Poultry farm licenses
- Water use permits
- Other regulatory clearances

Design and Layout: it is very necessary that the design and layout should optimize workflow efficiency and provide adequate space for all necessary functions. When designing and layout the house the following factors must be considered

- Hatchery layout
- Water supply and treatment systems
- Egg incubation area
- Brood stock holding areas
- Laboratory facilities, and
- Support structures




Figure 1: Simple hatchery house Construction layout for Poultry

1.4 Hatchery house construction

It is important to consult with experts in poultry hatchery house construction and management to ensure that your facility meets the specific requirements of poultry species and local regulations. They can provide valuable insights and guidance throughout the construction process to help you create an efficient and successful hatchery. Throughout the construction process, consult with poultry hatchery experts, agricultural engineers, and local regulatory authorities to ensure compliance with relevant codes and regulations. Regular inspections and quality control checks are essential to ensure that the construction is progressing as planned and that the final facility is safe and functional for poultry hatching operations.

When hatchery house construction for poultry considering space requirements for:

- The number and size of incubators
- Hatching trays
- Brooding areas, and
- Waste management area
- Processing facilities must be undertaken.

Construction and required Installation

- Prepare the site by clearing and leveling the ground.
- Construct the foundation, walls, and roof using durable materials.
- Ensure proper insulation to maintain desired temperature and humidity levels.

- Install windows, doors, and ventilation systems to regulate airflow.
- Set up electrical and plumbing systems according to hatchery requirements.
- Install heating and cooling systems to maintain the desired temperature range. Humidifiers and ventilation systems should be in place to regulate humidity levels and ensure proper air circulation.
- Installing appropriate lighting fixtures that provide uniform and sufficient illumination throughout the hatchery house as required must needed.
- Installing high-quality incubators that are suitable for specific poultry species and production capacity in the hatchery house is important.
- Considering factors such as temperature control accuracy, turning mechanisms, ventilation systems, and egg capacity is used.
- Installing monitoring devices to track and maintain the required incubation parameters, including temperature, humidity, and egg turning must required
- Spaces within the hatchery house for brooding the newly hatched chicks is allocated according space requirement




Figure 2: Hatchery house construction

Implementing strict biosecurity protocols to prevent the introduction and spread of diseases is needed in hatchery. This may include:

- Controlled access points
- Footbaths

- Disinfection stations, and
- Separate areas for quarantine or sick birds.

Develop a waste management system to handle and dispose of hatchery waste, such as eggshells, unhatched eggs, and chick mortalities. Consider options such as composting, incineration, or outsourcing waste disposal services.

- Install adequate power outlets and electrical wiring to support hatchery equipment and lighting.
- Install water supply and drainage systems that can handle the hatchery's water demands and wastewater management.

Incorporating safety features into the hatchery house design is to protect workers, animals to minimize risks. These may include:

- Emergency exits is prepared
- Fire suppression systems is installed
- Proper lighting in walkways and working areas, and
- Adequate ventilation to prevent the buildup of harmful gases must be allocated.

1.5. Identifying facilities used in hatchery house

Hatchery houses often employ various specialized equipment. Most important equipments in hatchery:

- Incubators/setter
- hatchers
- ventilation equipment
- environmental controls
- computerized systems for data purchase
- processing and automation equipment,
- Generators (standby), boilers, etc.

Some of the key facilities commonly found in a poultry hatchery house:

Incubation Room: This is the main area where eggs are incubated. It is equipped with incubators that provide, Controlled temperature, Humidity, and Ventilation settings for optimal egg development. The incubation room may have separate sections or racks to accommodate different incubation stages or egg batches.

Egg Handling Area: This area is dedicated to receiving, cleaning, and sorting eggs before hatch

It may include: Egg washing equipment, Egg candling devices for inspecting egg quality, and Egg storage facilities.

Hatchery Room: Once the eggs are ready to hatch, they are moved to the hatchery room. This area provides specialized equipment such as: hatchers, hatch basket chick processing equipment. It is designed to create a warm and controlled environment for hatching the eggs and processing the newly hatched chicks.

Brooding Area: This section of the hatchery house is designed to provide a warm and comfortable environment for newly hatched chicks during their early stages. It includes:

- Brooders or heating systems to maintain the desired temperature, as well as
- Feeders, drinkers, and
- Suitable flooring materials for chick rearing.

Age of chicks	Floor space per bird
0 to 4 weeks	1/2 square foot
4 to 8 weeks	1 square foot



Figure 3: Brooding and space requirement

Processing Area: After hatching, chicks may go through various processing steps, such as: sexing, vaccination, and beak trimming. The processing area is equipped with specialized equipment and workstations for these tasks. It may also include Sinks, Sterilization equipment, and Storage areas for vaccines and other supplies.

Storage and Supply Areas: Hatcheries require adequate storage space for

- Eggs
- Feed
- Bedding materials
- Vaccines and other supplies.

These areas should be clean, organized, and well-ventilated to maintain the quality and integrity of the stored items.

Laboratory: Some hatcheries may have an on-site laboratory for conducting such as:

- Quality control tests
- Disease diagnostics, and
- Other analyses related to egg and chick health

The laboratory may be equipped with microscopes, incubators, autoclaves, and other necessary equipment for conducting tests and research.

Office and Administrative Area: Hatchery houses typically have an office space for administrative tasks such as:

- Record-keeping,
- Data analysis, and
- Communication.

It may also serve as a control center for monitoring and managing hatchery operations.

Utilities and Support Facilities: Poultry hatcheries require utilities such as:

- Electricity,
- Water supply, and
- Plumbing.

Adequate power supply, backup generators, water heaters, and water filtration systems are essential for maintaining optimal hatchery conditions. Additionally, staff facilities such as restrooms, break rooms, and changing rooms should be provided for the hatchery workforce.

Biosecurity Measures: Hatcheries implement biosecurity measures to prevent the entry and spread of diseases. This may include:

- Controlled access points,
- Footbaths, and
- Disinfection stations at various entry and exit points within the hatchery house.



Figure 4: Major biosecurity Measures

Waste management area: this is where waste and debris in hatchery were disposed and recycled.

Disposal and management of wastes and debris in a hatchery house are important for maintaining cleanliness, hygiene, and bio security.

Self-check 1

Name…… ID…… Date…….

Directions: Answer all the questions listed below.

Part I.Choose the best answers from the option of each question

1. Which of the following is an important factor to consider when choosing a site for a poultry hatchery?

a) Proximity to residential areas

b) Accessibility to major transportation routes

c) High crime rates in the area

d) Lack of access to utilities

2. Why is biosecurity important in site selection for a hatchery?

a) To maximize noise control

b) To prevent potential contamination from neighboring properties

c) To ensure compliance with environmental regulations

d) To provide a secure environment for the hatchery operations

3. What environmental factors should be assessed when selecting a site for a hatchery?

a) Noise levels and odors

b) Availability of training centers

c) Market proximity

d) Compliance with zoning regulations

4. What is the significance of considering expansion potential in site selection?

a) To minimize the risk of disease transmission

b) To assess the potential impact of the hatchery on the surrounding environment

c) To evaluate the availability of a skilled workforce in the area

d) To accommodate the growth of the hatchery business

5. Why is it important to consult with industry experts and local regulatory agencies during site selection?

a) To ensure compliance with all legal requirements

b) To assess environmental factors such as temperature and air quality

c) To evaluate the potential market demand for hatchery products

d) To obtain permits and licenses for the hatchery establishment

6. Which of the following is NOT a commonly found facility in a poultry hatchery house?

a) Incubation room

b) Brooding area

c) Laboratory d) Slaughterhouse

7. What is the purpose of the egg handling area in a hatchery house?

a) Egg incubation

b) Chick processing

c) Egg storage and sorting

d) Disease diagnostics

8. Why is the brooding area equipped with heating systems?

a) To maintain the desired humidity levels

b) To prevent diseases in newly hatched chicks

c) To create a controlled environment for egg incubation

d) To provide a warm environment for newly hatched chicks

Part II. Write *TRUE* if corrected and *FALSE* if not corrected for each questions

___1. A good location for a poultry hatchery should have good accessibility to major transportation routes.

_____2.Biosecurity measures should be taken to minimize the risk of disease transmission in a poultry hatchery.

_____3. Proximity to training centers specializing in poultry management is an important consideration in site selection for a hatchery

_____4. The incubation room in a hatchery house provides controlled temperature and humidity settings.

_____5. Biosecurity measures are not necessary in a poultry hatchery house

Part 3:Give short answers

1. What are some biosecurity considerations that should be taken into account when selecting a site for a hatchery?
2. How can extreme weather conditions impact hatchery operations, and what can be done to mitigate their effects?
3. Why is the availability of a skilled workforce and proximity to the market important factors in site selection for a hatchery
4. What are some specialized equipment found in the egg handling area of a poultry hatchery house?
5. Explain the purpose of the brooding area in a hatchery house and the equipment typically

Note: Satisfactory rating 8 points ------- Unsatisfactory below 4 points

Operation Sheet -1

1. **1. hatchery house design and layout Visualizing on paper**

I. Materials, tools and equipment

- Flip chart(large pad paper)
- Drawing pencils
- Erasers
- Rulers and straightedges
- Drafting compass
- Colored markers or pens
- Sticky notes or labels
- Table or drawing board
- Cutting tools

II. Procedures

a. **Prepare Materials, tools and equipment**

b. Determine the scale to create the layout.

c. Choose a scale that allows to fit the entire hatchery

d. Start with an overall layout by drawing the outer boundaries.

e. Determine shape of the building,

- Entrances,
- Exits, and any other relevant features.

f. Divide the space and show functional areas, such:

- Egg reception,
- Incubation room,
- Hatchling area,
- Office, and utility sections
  - Use light pencil lines to indicate these areas.

g. Determine equipment placement such as:

- incubators,
- hatchers,
- egg trays, and workstations, will be placed within each functional area.

h. Sketch the equipment in their respective positions

i. Plan pathways and access points:

j. Add details:

- utility lines, such as electrical systems, by drawing them as lines or symbols.

k. Review and revise:

- Look for any inconsistencies

l. Finalize the layout:

- make darker pencils or pens to make the lines more visible and permanent.
- Erase any unnecessary or light pencil marks.

m. Add colors and shading (optional):

- Highlighting specific zones or equipment.

n. Submit

LAP test 1

Name……. ID……..

Date…….

Time started: _____ Time finished: _____

Instructions: Given necessary templates, tools and materials you are required to perform the following tasks within **10** hour. The project is expected from each student to do it.

Task 1: Visualize poultry hatchery house design and layout on flip chart

LG # 15	LO#2- Prepare materials, tools and equipment

Instruction sheet

This learning guide is developed to provide you the necessary information regarding the following **content coverage** and topics –

- Identifying materials, tools and equipment
- Checking materials, tools and equipment and reporting insufficient
- Using correct manual handling techniques when loading and unloading materials

This guide will also assist you to attain the learning outcome stated in the cover page. Specifically, upon completion of this Learning Guide, you will be able to –

- Identify materials, tools and equipment
- Check materials, tools and equipment and reporting insufficient
- Use correct manual handling techniques when loading and unloading materials

Learning Instructions:


1. Read the specific objectives of this Learning Guide.
2. Follow the instructions described below.
3. Read the information written in the “Information Sheets”. Try to understand what are being discussed. Ask your trainer for assistance if you have hard time understanding them.
4. Accomplish the “Self-checks” which are placed following all information sheets.
5. Ask from your trainer the key to correction (key answers) or you can request your trainer to correct your work. (You are to get the key answer only after you finished answering the Self-checks).
6. If you earned a satisfactory evaluation proceed to “Operation sheets


Information Sheet 2

2.1.Identifying Materials, tools and equipment

Setting up a hatchery house requires various materials, tools and equipment to facilitate the hatching and rearing process. Some commonly used materials, tools and equipment with their use in a hatchery house:

Name of materials	Use of material, tools and equipment	Image
Insulation materials	Use for temperature regulation.	
Flooring	Concrete flooring for easy cleaning and maintenance	
Fire extinguisher	device usually filled with a dry or wet chemical used to extinguish or control small fires, often in emergencies	
first-aid kit	help to respond effectively to common injuries and emergencies	

Portable coolers	movable materials that is used for cooling in poultry farm especially in hot climates.	
Heater(Heat lamps)	Used to provide localized heat in specific areas for chicks that need extra warmth	
Infrared gas brooder	are materials used for producing rays of light during brooding	
Water supply	is material used to store and pump water from its source	
Timers or dimmers	to control lighting schedules for optimum chick growth.	
	Incubation Equipment **Incubator**	
Egg incubators	a device that Used to provide controlled temperature, humidity, and turning mechanisms for the eggs before hatch.	
Hatchers .	Separate machines designed for the final stage of incubation, where eggs are placed for hatching	

Egg candlers:.	Devices that help inspect the development of the embryo inside the egg by illuminating it	
	Brooding Equipment:	
Curtains	hanging materials used to cover window to protect the entry of air, light and etc	
Brooder	Used to provide a heat source to maintain optimal temperature for newly hatched chicks.	
Hay box	Used to brood chickens artificially	
Thermometers and hygrometers:	Instruments used to monitor temperature and humidity levels in the brooding area.	
	Feeding and Watering Equipment:	
Chick feeders	Specialized feeders designed for young chicks to access feed easily and prevent wastage	
Chick waterers	Small and shallow water containers that allow chicks to drink without drowning.	
	Cleaning and Sanitizing Equipment:	

Disinfectants	are chemical substance that is used to kill harmful germs and bacteria: a substance used to disinfect something.	
Cleaning(sprayer)	Spraying or applying disinfectants to sanitize the hatchery and prevent disease transmission	
	Miscellaneous Equipment	
Standby Generator	a machine that produces electricity	
Egg trays or racks	Used for safe and organized storage of eggs before and after incubation	
Egg baskets	Containers for transporting eggs within the hatchery.	
Weighing scales	To monitor the weight of chicks for growth assessment	
Eggshell remover	Mechanical or manual devices to assist in removing eggshells during the hatching process	
Ventilation fans	To provide adequate air circulation and prevent heat buildup in the hatchery house OR to maintain proper air circulation and remove excess heat.	
	Personal Protective Equipment (PPE)	

PPE	Used to protect or maintain overall personal safety	

NOTE: It's essential to choose equipment suitable for the scale of hatchery operation and the specific needs of the poultry species intend to hatch. Consulting with hatchery experts or suppliers can help to determine the most appropriate tools and equipment for hatchery house.

2.2.Checking materials, tools and equipment and reporting insufficient

When it comes to checking materials, tools, and equipment in a hatchery house, there are several steps to be followed. Here's a general guide:

Prepare a checklist: Create a checklist that includes all the materials, tools, and equipment that should be present in the hatchery house. This list may vary depending on the size and specific requirements of your hatchery, but it generally includes items such as brooders, incubators, hatch trays, waterers, feeders, cleaning supplies, and personal protective equipment (PPE) like gloves and masks.

Conduct a visual inspection: Start by visually inspecting the hatchery house. Look for any obvious signs of damage or missing equipment. Ensure that the overall environment is clean and well-maintained.

Check equipment functionality: Test each piece of equipment to ensure it is in good working order. For example, check if the incubators are maintaining the correct temperature and humidity levels, if the brooders are providing adequate heat, and if the waterers and feeders are functioning properly. Repair or replace any faulty equipment as needed.

Verify inventory: Compare the actual inventory of materials, tools, and equipment with checklist. Check the quantities and ensure that everything is accounted for. If it is noticed any discrepancies, investigate and take appropriate action, such as ordering replacements or adjusting the inventory records.

Assess material quality: Examine the quality of the materials used in the hatchery house. Check for any signs of wear and tear, such as cracks, rust, or fraying. Ensure that the materials are suitable for their intended purposes and meet the necessary standards.

Organize and maintain: Arrange the materials, tools, and equipment in an organized manner to facilitate easy access and efficient workflow. Implement a system to keep track of inventory levels and ensure that items are regularly restocked. Establish maintenance schedules to keep equipment in good condition and prevent breakdowns.

Reporting insufficient or faulty materials in hatchery house to supervisor

Reporting insufficient or faulty materials in a hatchery house to your supervisor is an important step to ensure that issues are addressed and resolved promptly. Here's a guide on how to report such problems:

Document the issue: Before reporting the problem, gather all the necessary information and details about the insufficient or faulty materials. Take note of the specific items affected, their condition, and any observations or incidents related to the issue. If possible, take photographs or make a list to provide visual evidence.

Follow the designated reporting process: Every organization has its own reporting process and protocols. Find out what the established procedure is for reporting issues in your hatchery house. It may involve filling out a form, sending an email, or speaking directly with your supervisor. Adhere to the prescribed method to ensure that report is properly documented and reaches the appropriate person.

Provide a clear and concise description: When reporting the insufficient or faulty materials, clearly describe the problem in a concise manner. State the specific items involved and explain the issue in detail. Be objective and avoid making assumptions or assigning blame. Stick to the facts and provide any supporting evidence or documentation you have collected.

Include the impact: Highlight the impact that the insufficient or faulty materials are having on the hatchery operations. Explain how the issue is affecting productivity, efficiency, or the quality of the output. This information will help to supervisor understand the urgency and prioritize the resolution.

Propose a solution: If you have any suggestions for resolving the problem, include them in your report. This demonstrates your proactive approach and problem-solving mindset. However, it's important to remember that your supervisor may have a better understanding of the situation or access to additional resources, so be open to their recommendations and guidance.

Submit the report and follow up: Submit your report according to the established reporting process. Ensure that it reaches the appropriate person or department responsible for addressing the issue. If you don't receive a response or an update within a reasonable timeframe, politely follow up with your supervisor to inquire about the status of your report.

2.3 Using correct manual handling techniques when loading and unloading materials

Loading and unloading materials in a hatchery house requires careful attention to ensure the safety of the workers and the integrity of the materials**.** Following proper techniques and precautions reduces the risk of injuries and promotes a safe working environment.

Correct manual handling techniques

Manual handling techniques in a poultry house refer to the safe and proper methods of lifting, carrying, and moving objects or animals within the facility. Manual handling techniques are important in hatchery houses to ensure the safety of workers and minimize the risk of injuries.it is essential to prioritize your safety and the well-being of the animals when performing manual handling tasks in a poultry house..

Here are some techniques to consider when loading and unloading materials in a hatchery house operations:

Training and Education: Provide proper training to all personnel involved in manual handling tasks. Educate them about the potential risks, correct techniques, and safety precautions associated with manual handling in a poultry house.

Use Appropriate Equipment: Whenever possible, use mechanical aids or equipment to assist with lifting and moving heavy objects or animals. This may include trolleys, carts, or lifting devices designed for poultry handling. Using equipment reduces the strain on workers and minimizes the risk of injury.



Assess the Load: Before lifting or carrying any object or animal, assess its weight, size, and stability. This can be safely lifted or if additional assistance is required.



Maintain Good Posture: Adopt a proper posture while lifting and carrying objects or animals.

- Keep your back straight,
- bend your knees, and
- use the strength of legs to lift.
- Avoid bending or twisting at the waist, as this can strain your back and lead to injuries.





Video that show manual handling techniques https://youtu.be/Lq2dJKw6-Uk

Break Down Loads: If handling large or bulky objects, consider breaking them down into smaller, more manageable loads. This reduces the risk of strains or falls during handling and makes it easier to maintain balance and control.

Secure Grips: Ensure a secure grip on objects or animals before lifting or carrying them. Use both hands, if possible, and wear appropriate gloves to improve your grip. Avoid carrying objects with sharp edges or protrusions that could cause injury**.**

Communication and Teamwork: If teamwork is required for lifting or moving heavy objects, establish clear communication and coordination among team members. Plan the task in advance, assign roles, and use verbal or visual signals to maintain synchronization during the handling process.

Clear Pathways: Before moving objects or animals, ensure that the pathways are clear of obstacles or hazards. Remove any debris, cords, or slippery substances that could cause trips or falls.

Take Breaks: Manual handling tasks can be physically demanding. Take regular breaks to rest and recover, especially during extended periods of lifting or carrying. Fatigue can increase the risk of accidents and injuries**.**

Personal Protective Equipment (PPE): Wear appropriate PPE, such as gloves and safety footwear, when handling objects or animals in a poultry house. PPE provides protection against potential hazards, such as scratches, bites, or contact with harmful substances.

2.3.1 Loading materials

Loading materials in a poultry house involves the safe and efficient handling of various supplies, equipment, and feed. Here are some guidelines for loading materials in a poultry house

Assess Material Requirements: Determine the quantity and type of materials needed for the hatchery operation, such as eggs, chicks, feed, or supplies. This will help in planning the loading process

Prepare Loading Area: Ensure that the loading area is clean, organized, and free from any obstacles. Clear pathways and make sure that the designated loading area is easily accessible.

Check Material Quality: Before loading, inspect the quality of the materials, such as eggs or chicks, to ensure they meet the required standards. Remove any damaged or defective items.

Prepare Containers: If eggs or chicks are being loaded, prepare the appropriate containers such as egg trays or chick boxes. Ensure the containers are clean, in good condition, and properly labeled.

Organize Loading Sequence: Determine the order in which materials will be loaded based on their destination within the hatchery. This will help optimize the loading process and minimize unnecessary movement.

Use Handling Equipment: Utilize appropriate handling equipment such as carts, pallets, forklifts, or hand trucks to move the materials. Ensure that the equipment is in good working condition and that operators are trained in their safe operation.

Load Materials: Place the materials onto the designated containers or pallets for transportation. Follow proper stacking and arrangement techniques to maximize space utilization and maintain stability during transit.

Secure Materials: Use straps, ropes, or other securing mechanisms to prevent shifting or damage during transportation. This is particularly important when using forklifts or during long-distance transportation.

Document and Label: Properly document and label the loaded materials for traceability and record-keeping purposes. Use labels, markers, or digital systems to clearly identify the contents, batch numbers, dates, and any other relevant information.

2.**3.2. Unloading Materials**:

Unloading materials in a poultry house involves the safe and efficient handling of various supplies, equipment, and feed upon arrival at the facility. Here are some guidelines for unloading materials:

Plan Unloading Area: Designate an unloading area within the hatchery for efficient and organized material handling. Ensure that the area is clear and accessible for unloading activities.

Position Handling Equipment: Position handling equipment such as carts, pallet jacks, or forklifts in the unloading area for easy access to the incoming materials.

Unload Materials: Carefully unload the materials from the transportation containers or pallets onto the designated areas. Follow appropriate handling techniques to prevent damage or contamination.

Inspect Material Quality: Inspect the unloaded materials, such as eggs or chicks, to ensure they remain in good condition after transportation. Remove any damaged or compromised items.

Store Materials: Move the unloaded materials to their respective storage locations within the hatchery. Follow proper storage practices, such as maintaining appropriate temperature and humidity conditions.

Update Documentation: Update the documentation and record-keeping systems with the relevant information related to the unloaded materials. This includes batch numbers, quantities, dates, and any observations or deviations.

Clean and Sanitize: After unloading, clean and sanitize the unloading area, as well as any handling equipment used during the process. This helps maintain hygiene and prevent the spread of diseases

Record Keeping: Maintain accurate records of materials being loaded and unloaded, including quantities, batch numbers, or any other relevant information. This helps with traceability and quality control.

Self-check 2

Part I. Choice part questions

1. Which of the following should be included in a checklist for checking materials, tools, and equipment in a hatchery house?

a) Feeding schedule

b) Cleaning supplies

c) Employee attendance records

d) Sales reports

2. What is the purpose of conducting a visual inspection in a hatchery house?

a) To test the functionality of equipment

b) To assess material quality

c) To document employee performance

d) To conduct market research

3. When checking equipment functionality in a hatchery house, what should you do if you find faulty equipment?

a) Ignore the issue and continue using the equipment

b) Repair or replace the faulty equipment

c) Report the issue to a supervisor

d) Use the equipment with caution

4. What should you do if you notice discrepancies between the actual inventory and the checklist of materials, tools, and equipment in a hatchery house?

a) Adjust the inventory records

b) Ignore the discrepancies and continue operations

c) Investigate the discrepancies and take appropriate action

d) Wait for someone else to resolve the issue

PART II: Write *TRUE* if corrected and *FALSE* if not corrected for each questions

____1. Consulting with hatchery experts is essential to choose equipment suitable for the hatchery operation

____2. Training hatchery staff on the proper handling and use of materials and equipment ensures optimal functioning and productivity

____5. Visual inspection is only necessary for assessing material quality in a hatchery house.

____6. Faulty equipment should be ignored and continued to be used in a hatchery house

Part III. Match the following question under column A WITH its answers under column B

A	**B**
1. Substance used to kill microorganisms	A. Incubator
2. Used to keep eggs warm at controlled condition before hatching	B. Candler
3. Help to determine embryo development inside the egg	C. Disinfectant
4. Machines where eggs are placed for hatching	D. Brooder
5. Provide a heat to maintain optimal temperature for newly hatched chicks	E. Hatcher

Part IV. Short answer

1. Define the following terms

Incubation_____

Hatching_____

Brooding_____

2. List the most commonly required materials and equipment in hatchery house

_____

3. Write manual handling techniques to be considered for loading and unloading materials in a hatchery house operations_____
4. Why is it important to maintain an organized system for materials, tools, and equipment in a hatchery house?

Operation Sheet -2

2.3.Materials loading and unloading techniques in hatchery

I. Materials, tools and equipment

- Egg Trays
- Chick Boxes
- Carts and Trolleys
- Forklifts and Pallet Jacks
- Conveyor Systems
- Handheld Tools
- Personal Protective Equipment (PPE)
- Cleaning Supplies
- Labels, markers, and documentation tools

II. Loading Procedure:

a. Use PPE
b. Prepare appropriate materials and equipment
c. Assess Material Requirements:
d. Prepare Loading Area
e. Check Material Quality
f. Prepare Containers.
g. Organize Loading Sequence.
h. Use Handling Equipment
i. Load Materials
j. Secure Materials.
k. Document and Label

III. Unloading Procedure:

a. Prepare appropriate materials and equipment
b. Use PPE
c. Planning Unloading Area
d. Position Handling Equipment
e. Unloading Materials.
f. Inspecting Material Quality
g. Storing Materials
h. Updating Documentation
i. Clean and Sanitize

LAP test-2

Name……. ID…

Date…….

Time started: _____ Time finished: _____

Instructions: Given necessary templates, tools and materials you are required to perform the following tasks within **10** hour. The project is expected from each student to do it.

Task 2: Perform hatchery Materials loading and unloading

LG # 16	LO#3- Undertake hatchery operations

Instruction sheet

This learning guide is developed to provide you the necessary information regarding the following **content coverage** and topics –

- Identifying types and parts of incubators
- Egg handling and management
- Perform routine incubator management activities
- Effects and impacts of environment on incubating eggs
- Managing wastes and debris
- Record keeping

This guide will also assist you to attain the learning outcome stated in the cover page. Specifically, upon completion of this Learning Guide, you will be able to –

- Identify types and parts of incubators
- Egg handling and management
- Perform routine incubator management activities
- Effects and impacts of environment on incubating eggs
- Managing wastes and debris
- Record keeping

Learning Instructions:

1. Read the specific objectives of this Learning Guide.
2. Follow the instructions described below.
3. Read the information written in the “Information Sheets”. Try to understand what are being discussed. Ask your trainer for assistance if you have hard time understanding them.
4. Accomplish the “Self-checks” which are placed following all information sheets.

5. Ask from your trainer the key to correction (key answers) or you can request your trainer to correct your work. (You are to get the key answer only after you finished answering the Self-checks).
6. If you earned a satisfactory evaluation proceed to “Operation sheets

Information Sheet 3

3.1. Identifying types and parts of incubators

Incubators are essential tools used in the artificial hatching of eggs, providing a controlled environment for optimal embryonic development. They come in various types, each designed with specific features and functionalities to meet different incubation needs. Identifying and Understanding the types and parts of an incubator is crucial for proper operation and as its specific requirements.

3.1.1 Identifying Parts of incubators

Incubators consist of several parts and components that work together to create and maintain the optimal environment for egg incubation. Here are some common parts of incubators:

Outer Shell/Cabinet: The outer shell or cabinet provides the structural framework of the incubator. It is typically made of durable materials such as plastic or metal and houses the internal components.

Inner Chamber: The inner chamber is the enclosed space within the incubator where the eggs are placed for incubation. It is designed to provide a controlled environment for the eggs.

Temperature Control System: The temperature control system regulates and maintains the desired temperature inside the incubator. It typically includes the following components:

Heating Element: The heating element, often an electric heating coil, generates heat to warm the air inside the incubator. It is controlled by a thermostat to maintain the set temperature.

Thermostat: The thermostat is a temperature control device that senses the temperature inside the incubator and activates or deactivates the heating element as needed to maintain the desired temperature range.

Temperature Sensor: The temperature sensor, usually a thermocouple or a thermistor, measures the temperature inside the incubator and provides feedback to the thermostat for accurate temperature control.

Humidity Control System: The humidity control system regulates and maintains the desired humidity level inside the incubator. It typically includes the following components:

Water Reservoir/Humidity Pan: The water reservoir or humidity pan holds water to generate humidity inside the incubator. The water evaporates, increasing the moisture content in the air.

Humidifier: In some advanced incubators, a humidifier may be present to provide controlled and precise humidity levels. It can be integrated into the incubator or a separate unit.

Humidity Sensor: The humidity sensor measures the moisture content in the air and provides feedback to the humidity control system for accurate humidity regulation.

Ventilation System: The ventilation system ensures proper air circulation and exchange inside the incubator. It helps to maintain oxygen supply, remove carbon dioxide, and prevent the buildup of excessive heat or humidity. The ventilation system may include:

Fans: Fans are used to circulate air inside the incubator, ensuring uniform temperature and humidity distribution. They help to prevent hot or cold spots and promote consistent incubation conditions.

Air Vents: Air vents or openings are strategically placed to allow fresh air exchange and maintain proper airflow within the incubator.

Egg Trays/Racks: Egg trays or racks are designed to hold and position the eggs during incubation. They are typically made of plastic or metal and can be removable for easy handling and egg turning.

Egg Turning Mechanism: Many incubators, especially advanced models, feature an automatic egg turning mechanism. It gently rotates the eggs periodically to prevent sticking, facilitate embryonic development, and promote even heat distribution.

Control Panel: The control panel is the interface where the user can set and adjust the temperature, humidity, and other environmental parameters of the incubator. It may include buttons, knobs, digital displays, and indicators for easy monitoring and control.

Display and Alarms: Incubators often have displays that show the current temperature, humidity, and other relevant information. They may also include alarms or alerts to notify the user of any significant deviations or issues, such as temperature fluctuations or power failures.

Insulation: Incubators are typically insulated to minimize heat loss and maintain stable internal conditions. The insulation materials help to conserve energy and provide a consistent environment for incubation.

- It's important to note that the specific parts and features of incubators may vary depending on the model, size, and manufacturer. Different types of incubators, such as still-air, forced-air, or multi-stage incubators, may have additional components or specialized features suited to their specific functions

3.1.2 Types of incubators

There are several types of incubators used in hatcheries, each designed to provide optimal conditions for egg incubation and embryonic development. Here are some common types of incubators:

Still-Air Incubators: Still-air incubators are the simplest and most basic type of incubator. They rely on natural convection for heat distribution and air circulation. A heating element at the base of the incubator warms the air, and the warm air rises naturally. Still-air incubators typically have a vent or small opening to allow for fresh air exchange.



Forced-Air Incubators: Forced-air incubators, also known as fan-assisted incubators, use a fan to circulate heated air evenly throughout the incubator. This promotes more consistent temperature and humidity distribution, which is crucial for uniform egg development. Forced-air incubators provide more precise control over environmental conditions and are commonly used in commercial hatcheries.




Fig 1.1: Forced Draft Incubator [4]



Cabinet Incubators: Cabinet incubators are larger-scale incubators used in commercial hatcheries. They are designed to accommodate a higher capacity of eggs and often have multiple shelves or trays. Cabinet incubators can be either still-air or forced-air, depending on the model and features.



Portable Incubators: Portable incubators are smaller, lightweight units designed for smaller-scale operations or for transporting eggs. They are often used for hatching eggs in remote locations or during transportation to maintain the proper incubation conditions.



Multi-Stage Incubators: Multi-stage incubators are specialized incubators that provide different environmental conditions to accommodate the specific needs of eggs at different stages of incubation. They can be programmed to change temperature, humidity, and ventilation settings according to predetermined profiles, allowing for optimal conditions during various stages of embryonic development



It's important to note that different types of incubators may have additional features, such as automatic egg turning mechanisms, temperature and humidity control systems, alarms, and data logging capabilities. The choice of incubator depends on the specific needs and scale of the hatchery operation.

3.2.Egg handling and management

Eggs require careful handling and monitoring throughout the incubation process. The following activities are part of egg management

I. Egg collection

Is gathering eggs from the nest or coop and preparing them for incubation. Here's a step-by-step guide on collecting chicken eggs for incubation:

Identify Suitable Eggs: Look for eggs that are clean, undamaged, and of appropriate size for the breed. Avoid collecting eggs with cracks, excessive dirt, or abnormal shape

Gather Necessary Equipment: Prepare a clean egg basket or container, gloves (optional), and a soft brush or cloth for cleaning any soiled eggs.

Choose the Right Time: It's best to collect eggs at least once or twice a day to ensure their freshness. Morning and early evening are common times for egg collection.

Handle Eggs Carefully: When handling eggs, avoid rough movements or shaking, as this can damage the delicate embryos inside. Hold the eggs gently, avoiding excessive pressure.

Maintain Cleanliness: Keep the egg collection area clean to prevent contamination. Remove any debris, feathers, or droppings from the nest or coop before collecting eggs.

Clean Soiled Eggs (If Necessary): If an egg is dirty or soiled, you can carefully wipe it with a soft cloth or use a soft brush to remove any dirt or debris. Do not wash the eggs with water, as this can remove the protective bloom that helps prevent bacterial contamination.

II. **Egg storage**:

Proper storage conditions are vital to preserving egg quality for incubation. Eggs should be stored in a cool and humid environment, ideally at temperatures around 50 to 60 degrees Fahrenheit (10 to 15 degrees Celsius) and relative humidity of 75 to 80%. Extreme temperatures or humidity fluctuations can negatively impact egg viability.

Mark the Eggs (Optional): It can be helpful to mark the eggs with a pencil or marker to indicate the date of collection. This way, you can keep track of their freshness and organize them for incubation accordingly.

III. **Egg Selection**:

Choose fresh, fertile eggs from healthy parent birds. Fertile eggs are necessary for successful hatching.Avoid eggs with cracks, deformities, or visible damage, as they may not hatch or could introduce infections.

IV. Egg grading

Egg grading is the process of sorting and categorizing eggs based on their quality, size, and weight When it comes to egg grading for incubation, the focus is on selecting eggs that have the highest chances of hatching successfully

Here are some key considerations for egg grading specifically for incubation purposes:

Fertility: Only fertile eggs should be selected for incubation. Fertile eggs are those that have been successfully fertilized by a rooster. The presence of a "bull's eye" or a clear spot on the yolk indicates fertility. Eggs can be checked for fertility using a process called candling, where a bright light is used to illuminate the contents of the egg.

Shell quality: Eggs with strong and intact shells are preferable for incubation. Cracked or damaged shells can allow bacteria or contaminants to enter the egg, increasing the risk of infection and reducing the chances of successful hatching.

Shape and size: Ideally, eggs for incubation should have a regular, symmetrical shape. Abnormally shaped or misshapen eggs may have lower chances of successful development. Additionally, selecting eggs of similar size can help ensure more uniform incubation conditions.

Age: Fresh eggs are generally more suitable for incubation. As eggs age, their fertility and hatchability tend to decrease. It's recommended to select eggs that are no more than 7 to 10 days old for the best results.

Video that shows egg selection for incubation https://youtu.be/PcjENnjXuVk

Egg incubation stage

Egg incubation is a critical process in the production of poultry, including chickens, ducks, turkeys, and other domesticated bird species. It involves creating controlled conditions to nurture fertilized eggs and promote their development into healthy chicks. Poultry egg incubation is widely practiced in commercial poultry farming as well as in small-scale and backyard poultry operations.The incubation stage begins when fertilized eggs are placed in an incubator or under a broody hen for the purpose of hatching. During this stage, several key factors are carefully managed to provide optimal conditions for embryo development(proper temperature, humidity, and turning the eggs regularly).

Pre-Incubation Preparation:

Sanitization:

Clean and sanitize the incubation equipment, including incubators, trays, racks, and other accessories, to prevent the introduction of pathogens. Follow recommended cleaning protocols and use approved disinfectants

Set up the incubator according to the manufacturer's instructions settings:

- Calibrate temperature and humidity sensors to ensure accurate readings.
- Check and repair any faulty equipment or components.
- Set up the appropriate incubation parameters based on the specific requirements of the eggs being incubated, such as temperature, humidity, and ventilation settings.

Egg Placement/setting

During setting eggs in incubator place the selected eggs in the designated egg trays or racks, ensuring that they are properly positioned with the pointed end slightly downward. This helps to maintain the correct orientation of the embryo.Eggs with narrow ends up show unduly high proportion of dead in shell through the failure of the embryo's head to establish access air space, thus hatchability will reduce by 30–40%.

If possible, mark each egg with an "X" on one side and an "O" on the other to help identifying any rotations made during the incubation process. It also helps you keep track of the eggs' developmental progress.



Figure 8:egg placement in incubator(a),and egg placement in hatcher(b)

3.3.Perform routine incubator management activities

a. Temperature Control

Maintain the appropriate temperature throughout the incubation period, following the recommended temperature range for the specific species. Monitor and adjust the temperature as needed to ensure consistent heat levels.

Generally, the temperature is set between 99 to 101 degrees Fahrenheit (37-38 degrees Celsius) for most poultry species.

- ✓ Embryo hatches earlier if it is incubated at high temperature up to a max of 39^{o}C
- ✓ Continuos supply of 37.5^{o}C gives the best rate of embryo survival.

Incubation temp. can be reduced by 2^{o}C short before hatching due to increased activity of the embryo

b. Humidity Management

Control the humidity levels according to the requirements of the particular species being incubated. Different stages of incubation may require adjustments in humidity levels, so monitor and adjust accordingly.

Humidity levels typically start around 55-60% for the first 18 days and increase to 65% during the final days of incubation.

The relative humidity with in an incubator affects the rate of evaporative water loss from the hatching egg

c. Ventilation

Ensure proper ventilation within the incubator to maintain an adequate supply of fresh air and remove excess carbon dioxide. Follow the manufacturer's instructions for setting up and adjusting ventilation systems.

d. Light

Light exposure can influence the development of the embryo, particularly in avian species. In natural incubation, light patterns change as the hen leaves the nest, signaling specific developmental stages to the embryo. In artificial incubation, controlling light exposure can help regulate the circadian rhythm and provide cues for normal development. However, excessive or prolonged exposure to bright light during incubation can be detrimental to embryo health.

e. Vibrations and Noise

Excessive vibrations or loud noises in the incubation environment can be stressful for developing embryos. It is important to provide a relatively quiet and stable environment to minimize stress and promote healthy development.

f. Contamination and Sanitation

The cleanliness of the incubation environment is crucial to prevent the introduction of pathogens that could harm the developing embryos. Proper sanitation practices, including regular cleaning and disinfection of incubators, help reduce the risk of bacterial or fungal infections.

g. Egg Turning(rotation):

Determine the incubation program based on the specific species and incubator type being used. Some incubators have automatic egg turning mechanisms, while others require manual turning. The eggs must rest between turnings. Constant back and forth motion is bad for the hatch. The turning angle should be at least 45^0. Depending on the type and capacity of the incubator, the eggs may be turned manually or mechanically at regular intervals of 8 times manualy and 24 times a day automatically.Regularly rotate the eggs to prevent the embryo from adhering(sticking) to the inner shell membrane and to facilitate even heat distribution.It also helps in providing uniform environment for the incubating eggs and the growing embryos.

h. Egg Candling

Candling is a process of examining fertile eggs against a strong beam oflight preferably emerging through a small hole or a narrow slit. The testis conducted in a dark room. In this process the light reaches the eye ofthe observer after passing through the egg, thereby making the contentfairly visible. This test may be conducted at day 3,6,8,10,15 an day 18/19incubation, in order to eliminate the infertile or clear eggs at the earlystage of embryonic growth and the dead in shell later in life.In fertile eggs you will initially see a small spot (the embryo) with a web of blood vessels radiating from it.

Candling on the 7^{th} day of incubation is done to remove infertile eggs and dead embryos.

- Infertile egg: transparent and clean when light is passed through it, yellowish spot near the center (yolk) and much less evident air cell
- Early dead embryo: small, none motile black spot fixed at the side of the egg indicate early dead embryo, Absence of blood vessel, adhering to the shell and Presence of pink ring or blood ring surrounding the embryo
- Live embryo: is spider like with red legs, Are large end floats and clean air cell and blood vessel

✓ Day 5 - developing embryo with healthy blood vesseL

- ✓ Day 10 - growing embryo and healthy spreading vein growth - larger air sac
- ✓ Day 14 – growing embryo with fully spread vein system - larger air cell

Candling the 14th day of incubation is to remove late dead embryo. Live embryo fills the egg with clearly seen blood vessel and moving motile embryo

- ✓ Day 19 – almost fully developed embryo dark mass with larger yet air cell



Figure 9: egg candling techniques

video that shows candling techniques:

1. *https://youtu.be/AOJhed5BWMY*
2. *https://youtu.be/3YqAReDxQAM*

Incubation principles		
Factors	Incubation stage (in incubator/setter)	Hatching stage(Hatcher)
Temperature	37.5-39^{0}C	37^{0}C
Relative humidity	50-55%	65-75 %
Position	Large/broad end up	Slightly elevated
Gas Concentration	21%O_2 and 0.03% co_2	21%O_2 and 0.03% co_2
Altitude	Medium (at 0.03% co_2)	Medium (at 0.03% co_2)

Turning at 45^0	Manual - 8 times, Automatic - 24 times	No turning
Candling	5-7th and 18th day	No

Video that shows incubation techniques

1. *(https://youtu.be/NfkMFgzK34I*
2. *https://youtu.be/7VIwESIO9xY*

3.3.1 Transfer eggs to Hatcher

Transferring eggs to the hatcher is a critical step in the incubation process, where the eggs are moved from the incubator to a specialized hatching unit called the hatcher. Here's a general description of the process

Preparation: Before transferring the eggs, ensure that the hatcher is set up and properly functioning. This includes checking the temperature, humidity, and ventilation settings to create an optimal hatching environment.

Fumigate setter or Hatcher:

Fumigating the setter or hatcher is a process that involves using chemical agents to eliminate pests, pathogens, or other contaminants from the equipment. However, it's important to note that fumigation should be carried out by trained professionals who are knowledgeable about the specific chemicals being used and the appropriate safety measures. Here are some general considerations regarding fumigation:

Pest or Pathogen Control: Fumigation may be necessary to control pests or pathogens that could negatively impact the hatchery operation. Common pests include mites, insects, or microorganisms that can harm the eggs or hatchlings.

Selecting the Right Fumigant: Choose a fumigant that is suitable for the target pests or pathogens and approved for use in hatchery facilities. Different fumigants have specific properties,

application methods, and safety considerations, so it's important to consult with experts or pest control professionals to determine the appropriate option for your situation.

Safety Precautions: Fumigation involves the use of potentially hazardous chemicals, so it's crucial to follow all safety guidelines and precautions. This includes wearing appropriate personal protective equipment (PPE), ensuring proper ventilation during application and post-fumigation, and adhering to recommended dosage and exposure limits.

Timing and Frequency: Determine the optimal timing and frequency of fumigation based on the pest or pathogen control requirements and the hatchery's specific needs. Fumigation may be carried out before introducing new batches of eggs, during routine maintenance periods, or as part of an integrated pest management plan.

Preparation: Prior to fumigation, prepare the setter or hatcher by removing any sensitive equipment, materials, or living organisms that could be adversely affected by the fumigant. Ensure that the area is properly sealed to contain the fumigant during the treatment.

Application Process: Follow the manufacturer's instructions and guidelines for the application of the chosen fumigant. This may involve using specialized equipment or techniques to evenly distribute the fumigant within the setter or hatcher. Take care to avoid overexposure or underexposure during application.

Post-Fumigation Procedures: After the recommended exposure period, ventilate the setter or hatcher to remove any residual fumigant. Monitor air quality and ensure that the facility is safe for reintroduction of eggs or other hatchery operations. Follow any necessary cleaning or decontamination procedures before resuming normal activities.

Timing: Eggs are typically moved to the hatcher a few days before the expected hatch date(after 18days of incubation). This timing may vary depending on the species being incubated, so refer to specific guidelines or consult experts familiar with the particular type of eggs you are handling.

Egg Handling: Handle the eggs with care to avoid excessive movement or jostling, as this can disrupt the developing embryos inside. Hold the eggs gently and avoid dropping or rotating them **abruptly.**

Cleaning: Inspect the eggs for any visible dirt, debris, or abnormalities. Remove any soiled or damaged eggs from the batch, as they may negatively affect the hatching process or spread contamination to other eggs.

Transfer: Open the incubator and carefully move the clean, viable eggs to the hatcher. Maintain the same orientation as they were placed in the incubator, ensuring that the same side faces up. This helps the embryos maintain the correct position for hatching.

Nesting Material: Depending on the species, you may need to provide suitable nesting material in the hatcher. This can include clean, dry bedding, such as wood shavings or clean towels, to provide a soft and supportive surface for the hatchlings.

Monitoring: After transferring the eggs, closely monitor the conditions in the hatcher, including temperature, humidity, and ventilation. Make any necessary adjustments to maintain the optimal environment for hatching.

Close the Hatcher: Once all the eggs have been transferred, close the hatcher securely to maintain stable conditions inside. Avoid unnecessary opening of the hatcher during the hatching process to prevent disturbances that could affect the hatchlings.

Monitoring and operating an egg hatcher involves closely observing and managing the hatching process to ensure optimal conditions such as temperature, humidity and Ventilation for the eggs and the successful hatching of the chicksby considering:

3.3.2 Final Stages and Hatching:

The final stages of egg hatching involve the actual emergence of the chicks from the eggs. It's important to note that the hatching process can vary slightly depending on the species of poultry being hatched.Throughout these stages, it is important to maintain the appropriate temperature and humidity levels in the hatcher and brooder to support the chicks' well-being

The key stages are:

Pipping: is the stage when the chick starts to break through the shell. It is typically observed as a small crack or hole in the shell made by the chick using its egg tooth (a small projection on the beak).The chick may rest and gather strength between pipping and hatching, which can take several hours or even a day.

External Pipping: occurs when the chick's beak breaks through the shell and is visible from the outside. At this stage, the chick begins to breathe air, and respiration shifts from the chorio allantois membrane to the lungs.

Zippering:is the process in which the chick uses its egg tooth to create a line of cracks around the shell, forming a circular pattern. This allows the chick to gradually break free from the shell.

Hatching: is the final stage when the chick breaks free from the shell completely.

The chick uses its legs and wings to push against the shell and eventually emerges.

It may take several hours for the chick to completely free itself from the shell and emerge fully.

Hatching Assistance (if required): If any eggs exhibit difficulty in hatching, such as chicks struggling to emerge or pipped eggs remaining unzipped, carefully provide assistance following proper hatchery protocols. Seek expert guidance if needed.

Chick Removal: Once chicks have successfully hatched, transfer them to appropriate brooding or rearing facilities for further care, following standard protocols for handling and transport.

3.3.2. Transitioning chicks from the incubator to the brooder

When transitioning chicks from the hatcher to the brooder, it's important to provide a smooth and gradual adjustment to their new environment. Here are some best practices to follow:

Temperature Adjustment: The brooder should be preheated to the appropriate temperature before transferring the chicks. The temperature in the brooder should be set to approximately 95°F

(35°C) for the first week and then gradually reduced by 5°F (2.5°C) each week until reaching the ambient temperature.

Clean and Prepare the Brooder: Ensure that the brooder is clean, dry, and free of any drafts. Bedding material, such as wood shavings or straw, should be spread evenly on the floor to provide a comfortable and absorbent surface.

Provide Adequate Space: Make sure the brooder has enough space to accommodate the number of chicks you have. Overcrowding can lead to stress, pecking, and other health issues. Plan for approximately 0.5 to 1 square foot (0.05 to 0.09 square meters) of floor space per chick.

Water and Feed Placement: Place clean, fresh water and chick starter feed in easily accessible locations within the brooder. Use shallow containers or specialized chick waterers and feeders to prevent drowning or spillage.

Monitor Chicks' Behavior: Observe the chicks closely after transferring them to the brooder. They should be active, exploring, and exhibiting normal behaviors. Abnormal behavior, such as excessive huddling, lethargy, or signs of distress, may indicate a problem and should be addressed promptly.

Provide Adequate Lighting: Ensure that the brooder area is well-lit with a balanced light source. Chicks need proper lighting to find food and water, maintain their circadian rhythm, and prevent any behavioral issues.

Maintain Proper Ventilation: Adequate ventilation is essential to maintain fresh air and remove excess moisture and ammonia. Ensure proper airflow in the brooder while avoiding direct drafts that may chill the chicks.

Monitor Temperature: Use a reliable thermometer to monitor the temperature in the brooder regularly. Watch for signs of overheating or chilling in the chicks, such as panting or huddling together excessively. Adjust the temperature accordingly to maintain their comfort.

Gradual Exposure to the Brooder: If possible, introduce the chicks to the brooder gradually. This can be done by placing the chicks in a smaller enclosure within the brooder initially and then gradually allowing them to explore the entire space.

Provide Grit and Supplements: If the chicks are not on a medicated feed, it's beneficial to provide chick-sized grit and appropriate supplements, such as vitamins or probiotics, to support their growth and overall health.

3.3.3 Prevent and manage common diseases and health issues in newly hatched chicks

Preventing and managing common diseases and health issues in newly hatched chicks is crucial for their well-being and long-term development. Here are some important practices to help prevent and manage common health issues:

Clean and Sanitary Environment: Maintain a clean and sanitary brooder environment. Regularly clean bedding, waterers, feeders, and any equipment used in the brooder. Remove any wet or soiled bedding promptly to prevent bacterial growth.

Biosecurity Measures: Implement strict biosecurity measures to prevent the introduction and spread of diseases. Limit visitors to the brooder area, practice proper hand hygiene, and avoid contact with other poultry or contaminated areas.

Temperature Management: Proper temperature management is essential for the health of newly hatched chicks. Ensure that the brooder temperature is set and maintained at the appropriate level for the age of the chicks. Follow recommended temperature guidelines and monitor the chicks' behavior to ensure they are comfortable.

Adequate Nutrition: Provide a balanced and nutritionally complete chick starter feed formulated specifically for their age and species. Ensure access to clean, fresh water at all times. Avoid feeding spoiled or moldy feed, as it can lead to digestive issues and health problems.

Disease Prevention through Vaccination: Consult with a veterinarian or poultry health professional to determine the appropriate vaccination schedule for the specific diseases prevalent

in your area. Vaccination can help prevent common diseases, such as Marek's disease or Newcastle disease.

Parasite Control: Implement a parasite control program to prevent and manage common external and internal parasites, such as lice, mites, and worms. Consult with a veterinarian for suitable parasite control methods and medications.

Early Disease Detection: Monitor the chicks closely for any signs of illness or abnormal behavior. Common signs of disease in chicks include lethargy, loss of appetite, difficulty breathing, abnormal feces, or unusual vocalizations. Early detection of illness allows for prompt intervention and treatment.

Quarantine and Separate Sick Chicks: If you notice a chick showing signs of illness, immediately isolate it from the healthy flock. Quarantine the sick chick in a separate, clean, and warm area and seek veterinary advice for appropriate diagnosis and treatment.

Hydration and Electrolytes: In cases of dehydration or weakness, provide electrolyte solutions specifically formulated for poultry to help restore hydration and essential nutrients. These solutions can be offered in addition to regular water.

Veterinary Consultation: Establish a relationship with a poultry veterinarian. Regularly consult with them for guidance on disease prevention, health management, and appropriate treatment protocols

3.4. Effects and impacts of environment on incubating eggs

The environment in which an egg is incubated has significant effects and impacts on the development and hatching of the embryo. Here are some key effects and impacts of the environment on incubating eggs:

Developmental Rate: The environment, particularly temperature, directly influences the rate of embryonic development. Higher temperatures generally accelerate development, while lower temperatures slow it down. Maintaining the appropriate temperature is crucial to ensure that the embryo develops at the right pace and reaches the necessary developmental milestones within the expected timeframe.

Hatchability: The environment plays a crucial role in determining the overall hatchability of the eggs. Proper temperature, humidity, and ventilation are critical factors that directly impact the viability of the developing embryo. Deviations from the optimal conditions can lead to reduced hatchability rates, lower fertility, and increased embryonic mortality.

Embryo Health and Survival: The environment significantly affects the health and survival of the developing embryo. The right temperature and humidity levels provide the necessary conditions for proper growth and organ development. A stable and suitable environment minimizes stress on the embryo, reduces the risk of deformities, and increases the chances of producing healthy, viable chicks.

Abnormalities and Deformities: Environmental factors can contribute to the occurrence of abnormalities and deformities in the developing embryo. Fluctuations in temperature, inadequate humidity levels, or insufficient ventilation can disrupt embryonic development and lead to physical or physiological abnormalities. Proper environmental control is essential to minimize the risk of such issues.

Hatching Success: The environment during incubation significantly affects the hatching success rate. Inadequate environmental conditions can result in reduced hatching rates, delayed hatching, or even complete failure to hatch. Optimal temperature, humidity, ventilation, and egg turning promote successful hatching by ensuring that the embryo develops properly and has the necessary conditions for a successful emergence from the eggshell.

Chick Quality: The environment can influence the overall quality and vitality of the hatched chicks. Proper incubation conditions contribute to the production of robust and healthy chicks with good vigor, strong immune systems, and optimal growth potential. Suboptimal environmental conditions during incubation can result in weaker chicks with compromised health and reduced viability.

Long-Term Performance: The environment during incubation can also have long-term effects on the performance and productivity of the hatched chicks. Suboptimal conditions during embryonic development may impact the chick's growth, immune system development, and overall resilience. This can subsequently affect the bird's productivity, reproductive potential, and resistance to diseases later in life.

3.5. Manage wastes and debris

3.5.1.Waste and debris in hatchery house

Wastes and debris in a hatchery house can have various sources and can be detrimental to the health and well-being of the hatchery operations. Some common types of wastes and debris that can be found in a hatchery house are:

- ✓ Eggshell fragments:
- ✓ Dead embryos and unhatched eggs:
- ✓ Feathers and down:
- ✓ Feed spillage:
- ✓ Dust and litter:

3.5.2 Managing wastes and debris in a hatchery house

Managing wastes and debris in a hatchery house is essential to maintain a clean and healthy environment for the incubating eggs and newly hatched chicks.Some practices to effectively manage wastes and debris in a hatchery house:

General steps for the disposal and management of hatchery waste and debris:

Segregation: Separate different types of waste and debris into appropriate categories for easier management and disposal. Common categories include general waste, organic waste, hazardous waste, and recyclable materials.

General Waste Disposal: General waste such as non-hazardous packaging materials, papers, and other non-recyclable items should be collected in designated waste bins or bags. Dispose of them according to local waste management regulations, which may involve municipal waste collection or using a licensed waste disposal service.

Organic Waste Management: Organic waste, including eggshells, chick mortalities, and hatchery byproducts, should be handled carefully to prevent odors and contamination. Consider composting as a sustainable option for managing organic waste. Create a composting area away from the hatchery house, following proper composting techniques to ensure proper decomposition and hygiene.

Hazardous Waste Handling: Certain materials in a hatchery house may be considered hazardous, such as chemicals, disinfectants, broken glass, or sharps. Store hazardous waste separately in designated containers that are labeled appropriately. Contact local authorities or waste management agencies for guidance on the safe disposal of hazardous waste.

Recycling: Implement recycling practices for materials such as cardboard boxes, plastic containers, or paper waste generated in the hatchery. Set up designated recycling bins and educate staff on the proper segregation of recyclable materials. Coordinate with local recycling facilities or waste management services to ensure these materials are appropriately recycled.

Cleaning and Sanitization: Establish a regular cleaning and sanitization schedule for the hatchery house to minimize waste buildup and maintain hygiene.Dispose of cleaning waste according to local regulations.



Figure 5: Hatchery waste management

By implementing these waste management practices, hatchery houses can maintain a clean and hygienic environment, minimizing the risks of disease transmission, optimizing hatchability, and promoting the health and well-being of the incubating eggs and newly hatched chicks

Video that shows waste management after hatching[*https://youtu.be/qaCOq1PwvoI*](https://youtu.be/qaCOq1PwvoI)

3.6. Record keeping

What is record keeping?

A record-keeping system for a poultry hatchery house involves maintaining detailed and organized documentation related to the hatching and management of poultry eggs. This system helps track important information and ensures efficient operations within the hatchery. Here are some key aspects typically included in record-keeping for a poultry hatchery house:

Egg Inventory: Maintain a record of the number of eggs received, their source, and the date of arrival. This helps in tracking the quantity and quality of eggs throughout the hatching process.

Incubation Parameters: Keep a log of crucial incubation parameters such as:

- temperature,
- humidity,

- ventilation settings, and
- turning schedules.

These records ensure that the eggs receive optimal conditions for successful hatching.

Hatch Date and Time: Record the date and time when the eggs are transferred to the hatchers. This information is essential for monitoring the hatching progress and calculating the hatch window.

Hatchery Performance: Document the number of eggs set, number of eggs hatched, and the hatch rate. This data provides insights into the hatchery's performance and helps identify potential issues or areas for improvement.

Hatchery Management: Maintain records of hatchery maintenance activities, such as:

- cleaning and disinfection schedules,
- equipment calibration, and
- repairs. These records ensure that the hatchery environment remains hygienic and equipment functions optimally.

Health and Biosecurity: Keep track of health-related information, including

- vaccination schedules,
- medication administration, and
- disease outbreaks.

This helps monitor the flock's health status and implement appropriate biosecurity measures.

Egg Quality: Record observations related to egg quality, such as shell condition, weight, size, and any abnormalities. Monitoring egg quality helps identify potential issues affecting hatchability.

Inventory and Supply Management: Maintain records of hatchery supplies, including:

- incubator parts,
- hatching trays,
- disinfectants, and
- other consumables.

This helps ensure adequate stock levels and facilitates timely reordering.

Staff Training and Procedures: Document staff training programs, standard operating procedures (SOPs), and any relevant guidelines. These records ensure consistent practices and provide a reference for training new personnel.

Customer Orders and Shipments: Keep a record of customer orders, including the number of chicks requested, delivery dates, and customer contact information. This information facilitates order fulfillment and ensures accurate and timely chick deliveries.

A well-maintained record-keeping system enables hatchery managers to analyze data, identify trends, and make informed decisions to improve hatchery performance, biosecurity, and overall operational efficiency**.**

Troubleshooting and Problem Resolution:

Troubleshooting and problem resolution in a poultry hatchery house involve identifying and addressing issues that may arise during the hatching process or in the management of the hatchery. Promptly resolving problems is crucial to ensuring optimal hatch rates and the overall success of the hatchery. Here are some common troubleshooting steps and problem resolution strategies in a poultry hatchery house:

Monitoring and Observation: Regularly monitor the incubators, hatchers, and eggs to identify any abnormalities or deviations from the desired conditions. Keep a close eye on temperature, humidity, ventilation, and egg turning to detect potential issues early on.

Data Analysis: Analyze hatchery records and performance data to identify trends and patterns. Look for variations in hatch rates, egg fertility, or hatch window duration. This analysis can help pinpoint potential problem areas.

Environmental Factors: Assess the hatchery environment for any factors that may impact hatchability. Check for proper ventilation, temperature control, and humidity levels. Ensure that the hatchery is free from drafts, excessive noise, or other stress-inducing elements.

Equipment Maintenance: Regularly inspect and maintain incubators, hatchers, and other equipment to ensure they are functioning correctly. Verify that temperature and humidity sensors are calibrated accurately. Clean and disinfect equipment regularly to prevent contamination.

Egg Quality Evaluation: Examine egg quality parameters such as shell condition, weight, and abnormalities. Poor egg quality can affect hatchability, so identify any issues related to egg handling, storage, or incubation conditions.

Health Management: Monitor the health status of the breeding flock and the hatchery environment. Implement biosecurity measures to prevent the introduction and spread of diseases. If a disease outbreak occurs, consult with a veterinarian to develop appropriate treatment or prevention strategies.

Egg Handling and Storage: Evaluate egg handling practices, including egg collection, cleaning, and storage procedures. Mishandling or poor storage conditions can lead to reduced hatchability. Ensure that eggs are stored at the correct temperature and humidity levels.

Staff Training and Education: Provide comprehensive training to hatchery staff on best practices, standard operating procedures, and troubleshooting techniques. Well-trained staff can quickly identify and address issues that arise during the hatching process.

Continuous Improvement: Foster a culture of continuous improvement within the hatchery. Encourage staff to provide feedback and suggestions for enhancing operations. Implement changes based on lessons learned from past challenges.

Self-check 3	**Written test**

Name…… ID…… Date…….
Directions: Answer all the questions listed below

Part I. Choice part

1. Which one of the following is not hatchery operation practice?
    a. The use of high-quality, fertile eggs obtained from healthy productive sources
    b. Monitoring and maintaining optimal temperature and humidity levels
    c. Regularly turning the eggs during the incubation period
    d. Providing appropriate nutrition and vaccinating chicks against common diseases

2. Which of the following factors is NOT crucial for successful chicken egg hatchery management?

    A) Temperature control
    B) Humidity control
    C) Egg turning
    D) Incubation period

3. What is the ideal temperature for poultry egg incubation?

    A. 37.5-39C
    B. 99.5-100.5C
    C. 32.5-34C
    D. 39-41C

4. How long Days does it take for chicken eggs to hatch?

    A. around 21 days
    B. 28 days
    C. 24-26days
    D. 18 days

5. What is the recommended humidity level for poultry egg for incubation period?

A. 50-55% C.55-60%

B. 65-75% D.60-65%

6. What is the recommended humidity level for poultry egg for hatching period?

A. 50-55% C. 55-60%

B. 65-75% D. 60-65%

7. How often should chickens eggs to be turned manually during incubation for successfully?

A. 24 times a day

B. At least 5-8 times a day

C. 3 times is enough

D. 2 times

8. Which part of an incubator is responsible for regulating and maintaining the desired temperature?

a) Ventilation system

b) Egg trays/racks

c) Heating element

d) Control panel

9. What is the purpose of the humidity control system in an incubator?

a) To circulate air inside the incubator

b) To hold and position the eggs

c) To regulate and maintain the desired humidity level

d) To provide feedback to the thermostat

10. Which type of incubator relies on natural convection for heat distribution and air circulation?

a) Forced-air incubator

b) Cabinet incubator

c) Portable incubator

d) Still-air incubator

11. What is the function of the egg turning mechanism in an incubator?

a) To regulate the temperature inside the incubator

b) To provide controlled and precise humidity levels

c) To promote even heat distribution and prevent sticking

d) To circulate fresh air and maintain proper airflow

12. Which type of incubator is commonly used in commercial hatcheries and provides more precise control over environmental conditions?

a) Still-air incubator

b) Forced-air incubator

c) Cabinet incubator

d) Portable incubator

13. What is the recommended humidity level during the final days of incubation?

a) 55-60%

b) 65-75%

c) 50-55%

14. What is the recommended turning angle for eggs during incubation?

a) 90 degrees

b) 180 degrees

c) 45 degrees

15. When should candling be performed during incubation?

a) Day 5 and 18

b) Day 10 and 14

c) Day 3 and 6

16. What is the recommended temperature for the brooder during the first week?

a) 85°F (29°C)

b) 95°F (35°C)

c) 105°F (40.5°C)

d) 115°F (46°C)

17. How much floor space should be allocated per chick in the brooder?

a) 0.1 to 0.3 square foot (0.01 to 0.03 square meters)

b) 0.3 to 0.5 square foot (0.03 to 0.05 square meters)

c) 0.5 to 1 square foot (0.05 to 0.09 square meters)

d) 1 to 2 square feet (0.09 to 0.18 square meters)

18. What should be provided in easily accessible locations within the brooder?

a) Fresh water and chick starter feed

b) Medications and supplements

c) Toys and treats

d) Heat lamps and brooder thermometers

19. What is an indication of abnormal behavior in newly transferred chicks?

a) Active exploration and normal behaviors

b) Excessive huddling and lethargy

c) Vocalization and chirping

d) Aggressive pecking and fighting

20. Why is proper ventilation important in the brooder?

a) To maintain a specific temperature

b) To prevent access to the outside environment

c) To remove excess moisture and ammonia

d) To restrict airflow and prevent drafts

Part II: True or False types questions

____1. Poultry hatchery operations require specialized knowledge and skills in egg incubation and chick management.

____2. Poultry hatchery operations can be successfully carried out without proper biosecurity measures in place.

prevent the spread of diseases.

____3. Poultry hatchery operations can be conducted without the need for proper record-keeping

____4. Forced-air incubators rely on natural convection for heat distribution and air circulation.

___5. Routine incubator management activities are crucial for maximizing hatchability.

___6. Eggs with cracks or deformities should be selected for incubation.

.

____7.Candling is performed on the 10th day of incubation.

___8. Early disease detection allows for prompt intervention and treatment.

____9. Sick chicks should be quarantined and separated from the healthy flock.

____10. Establishing a relationship with a poultry veterinarian is not necessary for chick health management.

PART III:Match the following practices with their descriptions:

A	**B**
__1. Biosecurity Measures	A. Providing electrolyte solutions for hydration
__2. Temperature Management	B. Regularly cleaning bedding and equipment
__3. Disease Prevention through Vaccination	C. Monitoring chicks for signs of illness
__4. Quarantine and Separate Sick Chicks	D. Limiting visitors and practicing hand hygiene
__5. Hydration and Electrolytes	E. Isolating and seeking veterinary advice

Part IV: Short answers questions

1. What are the main differences between still-air incubators and forced-air incubators?
2. Why is the egg turning mechanism important in an incubator, and what are its benefits?
3. What factors should be considered when choosing between a still-air incubator and a forced-air incubator for a specific incubation project?
4. List the most common causes of low hatch rates in poultry egg incubation?

_____

5. What factors can affect the development and hatchability of poultry eggs?

_____

6. What are the special considerations for handling and storing hatching eggs before placing them in the incubator?

_____

7. What are the best practices for transitioning chicks from the incubator to the brooder?

_____

8. How can prevent and manage common diseases and health issues in newly hatched chicks?
9. What are some activities involved in pre-incubation preparation?

10. Answer: Cleaning the incubator, calibrating temperature and humidity sensors, checking and repairing faulty equipment, setting up appropriate incubation parameters.
11. Why is egg turning important during incubation?
12. Answer: Egg turning helps prevent the embryo from adhering to the inner shell membrane, facilitates even heat distribution, and provides a uniform environment for the incubating eggs and growing embryos.

***Note*: Satisfactory rating 50 points Unsatisfactory – below 25 points**

You can ask your teacher for the copy of the correct answers.

Operation Sheet -3

3.1 Techniques of Egg selection

I. Materials, tools and equipment

- Cleaning agents
- Egg
- Egg tray
- PPE
- Towel
- Egg storage container

I. Procedures

a. Prepare necessary materials
b. Collect/ buy/ eggs
c. Select hatching eggs by using egg selection
d. Record and label
e. Store at recommended place

3.2 Incubation techniques

A. Materials, tools and equipment to be required

- PPE
- Egg
- Egg tray
- Incubator
- Thermometer
- Marking tools
- Hygrometer
- Egg trays or racks
- Cleaning supplies
- Egg Candler

- Water pan or reservoir
- Automatic or manual egg turners
- Backup power source (standby generator):

B. Procedures

a. Prepare necessary materials
b. Use PPE
c. Prepare and Set up the incubator
d. Setup Temperature
e. Setup Humidity
f. Position/Place Egg
g. turn Egg /rotate
h. Monitor temperature and humidity daily
i. Candle Egg
j. Lockdown (stop turning)
k. Check for hatching

3.3 **Techniques of Egg candling**

A. Materials and equipment

- PPE
- Candler/light source
- Egg
- Egg tray

B. Procedures

a. Prepare necessary materials
b. Use PPE
c. Set up your candling equipment in a dark room within close proximity to the incubator.
d. Select an egg from the incubator/nest
e. Hold it above the light.
f. Place the larger end of the egg (where the air sac is) directly against the light.

g. Hold the egg near the top, between your thumb and forefinger.
h. Tilt the egg slightly to one side and rotate until you get the best view.
i. Look for signs that the egg is a winner
j. Mark each egg with a number and take notes on your findings

3.4.Transitioning chicks from the hatcher to the brooder and management

A. Materials, tools and equipment to be required

- Brooder box or brooder pen
- Heat source
- Bedding material
- Feeder and waterer
- Thermometer
- Chick starter feed:
- Water
- Drugs/vaccination
- Chick grit (optional):
- Brooder guard (optional):
- Cleaning supplies:
- First aid kit

B.Procedures

a. Prepare the brooder:
b. Preheat the brooder
c. Transfer the chicks:
d. Provide bedding
e. Provide warmth:
f. Lighting:
g. Feeding and watering:
h. Monitor temperature and adjust appropriately
i. Monitor and observe Maintain cleanliness
j. Gradually reduce heat:
k. Health monitoring:
l. Socialization and exercise:
m. Cleaning and hygiene:
n. Gradual temperature adjustment:

LAP Test-3

Name……. ID……

Date…….

Time started: _____ Time finished: _____

Instructions: Given necessary templates, tools and materials you are required to perform the following tasks within (10) hour. The project is expected from each student to do it.

Task 1: Perform egg selection

Task 2: Perform chicken egg Incubation

Task 3: Perform egg candling

Task 4: Perform Transitioning chicks from the incubator to the brooder and manage

Note: Satisfactory rating 12points ------- Unsatisfactory below 6 points

LG # 17	LO#4-Monitor, review and improve hatchery performance

Instruction sheet

This learning guide is developed to provide you the necessary information regarding the following content coverage and topics:

- Progressing of hatchery production plan
- Maintaining physical and financial records
- Assessing and obtaining information on innovations
- Testing innovations
- Assessing their benefit and cost
- Reporting outcomes

This guide will also assist you to attain the learning outcomes stated in the cover page. Specifically, upon completion of this learning guide, you will be able to:

- Progress of hatchery production plan
- Maintain physical and financial records
- Assess and obtaining information on innovations
- Test innovations
- Assess their benefit and cost
- Report outcomes

Learning Instructions:

1. Read the specific objectives of this Learning Guide.
2. Follow the instructions described below.
3. Read the information written in the “Information Sheets”. Try to understand what are being discussed. Ask your trainer for assistance if you have hard time understanding them.
4. Accomplish the “Self-checks” which are placed following all information sheets.

5. Ask from your trainer the key to correction (key answers) or you can request your trainer to correct your work. (You are to get the key answer only after you finished answering the Self-checks).
6. If you earned a satisfactory evaluation proceed to “Operation sheets

Information Sheet 4

Monitoring, reviewing, and improving hatchery performance is crucial for maintaining optimal hatch rates, chick quality, and overall efficiency

By implementing these steps, you can effectively monitor, review, and improve hatchery performance over time, leading to better hatch rates, improved chick quality, and increased overall efficiency.

4.1.Progress of hatchery production plan

The progression of hatchery production refers to the various stages and processes involved in producing hatchery from the initial egg stage to the point of their release or transfer to grow-out facilities or natural environments.

To assess the progress of a hatchery production plan, several key factors need to be considered. Here are some aspects to evaluate:

Egg procurement: Review the egg procurement process to ensure a steady and reliable supply of fertile eggs. Evaluate the quality and fertility rates of the eggs received from suppliers. If there are any issues, work with suppliers to address them and ensure consistent egg quality.

Incubation parameters: Assess and monitor the incubation parameters with the recommended guidelines..

Egg handling and storage: Ensure that

- eggs are properly cleaned,
- sanitized, and
- stored in the appropriate conditions before incubation.
- handling and take corrective measures to minimize losses.

Hatch rates and chick quality: Monitor hatch rates and assess chick quality regularly. Evaluate factors such as:

- embryo mortality,
- malformations, and
- overall chick health.

- Compare the actual hatch rates and chick quality

Biosecurity measures: Review the biosecurity protocols in place to prevent the introduction and spread of diseases in the hatchery. Assess the effectiveness of measures such as:

- restricted access,
- disinfection procedures, and
- employee hygiene practices.
- Implement any necessary improvements to maintain a high level of biosecurity.

Equipment maintenance and performance: Ensure that they are functioning optimally and calibrated correctly. Address any equipment issues promptly to avoid disruptions in the hatchery process.

Employee training and performance: Ensure that:

- employees have the necessary knowledge and skills to carry out their responsibilities effectively.
- Provide ongoing training and support to address any skill gaps and improve productivity.

Record-keeping and data analysis:

- Maintain and Analyze the data to identify trends, patterns, and areas for improvement.
- Utilize software or digital tools to streamline data collection and analysis processes.

Feedback and customer satisfaction:

- Seek feedback from customers and evaluate their satisfaction with the quality of chicks received.
- Address any concerns or issues promptly and work towards meeting customer expectations.

Continuous improvement:

- Foster a culture of continuous improvement within the hatchery.
- Encourage employee feedback and suggestions for process enhancements.
- Regularly review and update production plans based on lessons learned and industry advancements.

4.2.Maintaining physical and financial records

Maintaining physical and financial records in a poultry hatchery house involves the systematic organization and management of records related to the hatchery's operations, finances, and compliance.

It is essential for effective management and compliance with regulatory requirements. Here are some recommendations for organizing and managing these records:

This requires diligence, organization, and attention to detail. By establishing effective record-keeping practices, hatchery owners andmanagers can ensure accurate documentation, efficient operations, financial transparency, and compliance with regulatory requirements.

4.2.1. Physical Records:

Physical records refer to tangible documents and log books that are used to record and track various aspects of the hatchery's operations. These records provide a historical account of activities and are essential for reference and analysis. Common physical records in a poultry hatchery include:

Hatchery Log Books: A hatchery log book serves as a central record of daily activities. It includes details such as egg collection dates, the number of eggs received, incubation parameters, hatch rates, chick quality assessments, vaccinations administered, and any other relevant information. The log book helps monitor and evaluate the hatchery's performance over time.

Inventory Records: These records track the movement of eggs within the hatchery. They include information such as the number of eggs received, batch numbers, source of eggs, storage details, and the number of eggs set for incubation. Inventory records help ensure accurate tracking of egg batches and facilitate traceability.

Incubation Records: Incubation records document the specific parameters and conditions maintained during the incubation process. This includes temperature settings, humidity levels, ventilation details, turning schedules, and any deviations or adjustments made during incubation. These records are crucial for monitoring and optimizing incubation conditions to achieve desirable hatch rates.

Health Records: Individual health records are maintained for each batch of chicks. These records document vaccination details, medications administered, any observed signs of illness, mortality

rates, and other relevant health information. Health records help monitor the overall well-being of the chicks and enable the implementation of appropriate health management practices

Equipment Maintenance Records: Hatchery equipment, such as incubators, hatchers, ventilation systems, and temperature controllers, require regular maintenance and calibration. Equipment maintenance records document the dates of maintenance, repairs, calibration schedules, and any associated costs. These records ensure that equipment remains in optimal working condition, minimizing the risk of malfunction.

4.2.2. Financial Records:

Financial records pertain to the hatchery's monetary transactions, expenses, and income. Maintaining accurate financial records is crucial for budgeting, financial analysis, tax compliance, and overall financial management. Key financial records in a poultry hatchery include:

Income and Expenses Records: These records track all financial transactions related to the hatchery's operations. This includes income from chick sales, egg sales, and other revenue sources, as well as expenses such as feed costs, labor, utilities, equipment purchases, and maintenance expenses. Income and expenses records provide insights into the hatchery's financial performance and help in making informed financial decisions.

invoices and Receipts: Hatcheries receive invoices from suppliers and vendors for various goods and services. These invoices should be carefully recorded and filed. Similarly, maintaining receipts for expenses incurred is essential for accurate record-keeping and facilitates expense tracking and reimbursement processes

Payroll Records: If the hatchery has employees, payroll records are maintained to track wages, benefits, deductions, and other related information. These records include details such as hours worked, overtime, leave taken, tax withholding, and any other payroll-related information. Payroll records ensure compliance with labor laws and facilitate accurate payment processing.

Tax Records: Hatcheries must maintain records related to tax compliance. This includes copies of tax returns, supporting documents, and any correspondence with tax authorities.

These records help in preparing and filing tax returns accurately, as well as responding to any tax-related inquiries or audits.

4.2.3. Organization and Storage:

Organizing and storing physical and financial records in a systematic manner is essential for easy retrieval, reference, and long-term preservation. Some best practices for organization and storage include:

Filing System: Establish a well-structured filing system for both physical and digital records. Categorize records into sections such as incubation, health, finances, and general administration. Use clearly labeled folders or binders for physical records.

Digital Storage: Consider digitizing physical records to reduce physical storage space and facilitate easy access. Utilize computerized systems or document management software to store and organize digital records securely. Regularly back up digital records to ensure data safety.

Retention Periods: Be aware of legal and regulatory requirements regarding record retention periods. Consult local authorities or professional advisors to determine the specific retention periods for different types of records. Adhering to these regulations ensures compliance and facilitates timely disposal of outdated records.

Security and Access Control: Safeguard physical and digital records against unauthorized access, damage, or loss. Implement security measures such as locked cabinets, password-protected digital files, and restricted access to sensitive records. Regularly review and update access permissions as needed.

4.3.Assessing and obtaining information on innovations

Assessing and obtaining information on innovations in chicken hatcheries involves conducting research, engaging with industry sources, and exploring various channels for accessing up-to-date information.

4.3.1. Assess and obtain information on innovations in chicken hatcheries:

Industry Publications and Websites: Stay updated with industry publications, magazines, and websites that focus on poultry production and hatchery management. These sources often highlight the latest innovations, technologies, and practices in chicken hatcheries. Subscribe to newsletters or online platforms that provide regular updates on industry trends and innovations.

Conferences and Trade Shows: Attend poultry industry conferences, trade shows, and seminars where hatchery equipment manufacturers, suppliers, and experts gather. These events often showcase the latest innovations in hatchery technology, equipment, andmanagement practices**.**

Engage with exhibitors, attend presentations, and participate in networking sessions to gather information and insights.

Research Papers and Studies: Conduct literature searches to find scientific research papers, studies, and academic publications related to chicken hatcheries. These sources often provide detailed information on innovative techniques, technologies, and their impact on hatchery performance. Online databases, university library resources, and agricultural research institutes are valuable sources for such information.

Government and Industry Associations: Government agricultural departments and industry associations related to poultry production often publish reports, guidelines, and research findings on hatchery innovations. Explore the websites of these organizations, subscribe to their newsletters or bulletins, and reach out to them for information on the latest advancements in chicken hatcheries.

Supplier and Manufacturer Websites: Visit the websites of hatchery equipment suppliers, manufacturers, and technology providers. These companies often showcase their latest products, technologies, and innovations. Explore their product catalogs, case studies, and technical specifications to gather information on emerging trends and advancements in chicken hatcheries.

Online Forums and Communities: Join online forums, discussion boards, and social media groups dedicated to poultry production and hatchery management. Engage in conversations, ask questions, and seek recommendations on innovative practices and technologies. These platforms provide opportunities to connect with industry professionals, experienced hatchery owners, and experts who can share firsthand knowledge and experiences.

Consult with Experts and Industry Professionals: Reach out to hatchery consultants, industry experts, and experienced professionals in the field of poultry production. They can provide valuable insights on innovative practices, emerging technologies, and successful case studies. Seek their guidance through consultations, workshops, or mentorship programs to deepen your understanding of hatchery innovations.

Collaboration and Networking: Foster connections and collaborations with other hatchery owners, researchers, and industry stakeholders. Participate in industry associations, working

groups, or online communities where hatchery professionals share information and collaborate on innovative projects. Networking can help you access a broader range of ideas and experiences.

Remember that innovation in chicken hatcheries is an ongoing process, and new advancements are continually emerging. Regularly review and update your sources of information to stay informed about the latest developments in the field. By combining multiple channels and actively engaging with the industry, you can assess and obtain comprehensive information on innovations in chicken hatcheries.

4.3.2. Common innovations in poultry hatchery houses:

Innovations in poultry hatchery houses refers to advancements, technologies, and new practices that have been developed and implemented to improve various aspects of hatchery operations. These innovations aim to enhance efficiency, productivity, animal welfare, biosecurity, and overall performance.

It's important to note that the availability and adoption of specific innovations may vary depending on the hatchery's size, location, budget, and specific production goals. Hatchery owners and managers should carefully evaluate the feasibility, benefits, and potential challenges associated with implementing any innovation before making decisions.

Automation and Robotics: Automation technologies have been introduced to streamline and automate various processes within the hatchery. This includes automated egg handling systems, robotic egg transfer, automated candling and sorting of eggs, and robotic chick vaccination systems. These innovations reduce manual labor, increase operational efficiency, and improve accuracy and consistency in critical tasks.

Hatchery Management Software: Hatchery-specific software applications have been developed to centralize and manage data related to incubation, hatch rates, chick quality, inventory, and overall hatchery performance. These software solutions enable real-time monitoring, data analysis, and decision-making, resulting in improved hatchery management and performance.

Environmental Control Systems: Advanced environmental control systems are used to optimize the incubation environment. These systems utilize precise temperature, humidity, and ventilation control to create ideal conditions for embryo development and hatchability. They help maintain consistent environmental parameters, resulting in improved hatch rates and chick quality.

Energy-Efficient Equipment: Innovations in hatchery equipment design focus on energy efficiency and sustainability. This includes the use of energy-efficient incubators, LED lighting systems, and heat recovery systems. These technologies help reduce energy consumption, lower operational costs, and minimize the environmental impact of hatchery operations.

Vaccination Technologies: New vaccination techniques and equipment have been developed to improve efficiency and accuracy in the vaccination process. This includes advanced needle-free vaccination systems that deliver vaccines through spray or micro-droplet methods, ensuring uniform vaccine distribution and reduced stress on chicks.

Improved Biosecurity Measures: Biosecurity innovations aim to minimize the risk of disease introduction and spread within the hatchery. This includes the implementation of strict hygiene protocols, controlled access systems, air filtration systems, and disinfection technologies. These measures help protect the hatchery from potential disease threats and maintain a healthy environment for the chicks.

Data Analytics and Artificial Intelligence: The integration of data analytics and artificial intelligence (AI) technologies enables in-depth analysis of hatchery data to identify patterns, optimize processes, and make data-driven decisions. AI algorithms can predict hatchery performance, provide early detection of abnormalities, and optimize incubation conditions, leading to improved hatch rates and operational efficiency.

Chick Monitoring Systems: Innovative chick monitoring systems utilize advanced technologies such as video surveillance, thermal imaging, and computer vision to monitor chick behavior, health, and welfare. These systems enable early detection of abnormalities, enhance biosecurity, and provide valuable insights for improved chick management.

Sustainable Practices: Innovations in hatchery design and management focus on incorporating sustainable practices. This includes the use of renewable energy sources, water recycling systems, waste management strategies, and eco-friendly materials. These innovations help reduce the environmental footprint of hatcheries and promote sustainability in poultry production.

Genetic Selection and Breeding: Continuous advancements in genetic selection and breeding techniques have led to improved traits related to hatchability, chick quality, disease resistance, and

production efficiency. These innovations contribute to the development of superior genetic lines and further enhance hatchery performance.

4.4.Testing innovations

Testing innovations in chicken hatcheries:

- an essential step to evaluate their effectiveness, feasibility, and potential impact on hatchery operations.
- involves a systematic and controlled approach to assess the feasibility, effectiveness, and potential impact of new practices, technologies, or processes.
- a controlled and systematic manner allows for a thorough assessment of their potential benefits and drawbacks.
- helps inform decision-making and ensures that only effective and appropriate innovations are adopted in the hatchery operations.
- ensures that new practices or technologies are thoroughly evaluated before full-scale implementation.
- helps identify the benefits, limitations, and potential challenges associated with the innovation, enabling informed decision-making and optimization of hatchery operations

4.4.1. The key steps involved in testing innovations in chicken hatcheries:

Objective Setting: Clearly define the objectives and goals of the innovation testing. Determine what specific aspect of hatchery operations the innovation aims to improve, such as hatch rates, chick quality, biosecurity, or operational efficiency.

Test Design: Develop a test design that outlines the procedures, parameters to be measured, and the timeline for the testing process. Determine the scale of the test, whether it will be conducted on a small pilot scale or implemented across the entire hatchery.

Control Group: Establish a control group that follows the existing or standard practices in the hatchery. This group serves as a baseline for comparison, allowing for a direct evaluation of the innovation's impact.

Test Group Implementation: Implement the innovation in the test group according to the predetermined plan. This may involve introducing new equipment, modifying existing processes,

or adopting new management practices. Ensure that the implementation is consistent across the test group.

Data Collection: Collect accurate and relevant data throughout the testing period. Use appropriate measurement tools or instruments to record the identified parameters. This may include hatch rates, chick quality assessments, egg fertility rates, or other performance indicators.

Data Analysis: Analyze the collected data using statistical methods and data analysis techniques. Compare the results between the control and test groups to assess the impact of the innovation. Look for patterns, trends, or significant differences in the measured parameters.

Performance Evaluation: Evaluate the performance of the innovation based on the analyzed data. Assess whether the innovation has achieved the desired objectives and if it has resulted in any improvements or changes in hatchery operations.

Adjustments and Refinements: Based on the evaluation, make any necessary adjustments or refinements to the innovation. Address any challenges or limitations that were identified during the testing process. This may involve modifying the implementation approach, fine-tuning equipment settings, or optimizing processes.

Scale-Up and Implementation: If the innovation proves successful in the testing phase, develop a plan for scaling up its implementation across the hatchery. Consider factors such as cost, feasibility, training requirements, and potential impacts on other areas of hatchery operations.

Continuous Monitoring: Continuously monitor the performance of the innovation even after its implementation. Collect ongoing data, track key parameters, and compare results to ensure consistent effectiveness. Regularly assess the innovation's impact and make adjustments as necessary.

Documentation and Knowledge Sharing: Document the testing process, results, and lessons learned throughout the innovation testing and implementation. Share this information within the hatchery, with industry peers, and through relevant platforms. This promotes knowledge sharing and contributes to the collective understanding of innovative practices in chicken hatcheries.

4.5.Assessing their benefit and cost

4.5.1. Identify the benefits and costs of Testing innovations in chicken hatcheries

Testing innovations in chicken hatcheries offers several benefits and incurs costs.It is important for hatcheries to carefully consider the benefits and costs associated with testing innovations. A thorough assessment of potential benefits, along with a realistic evaluation of the incurred costs, can help hatcheries make informed decisions regarding the implementation of innovative practices or technologies in their operations.

4.5.1. **Assessing benefit of innovations in chicken hatcheries**

Assessing the benefits of innovations in chicken hatcheries involves evaluating the positive impacts and advantages that the innovations bring to hatchery operations.

When assessing the benefits of innovations in chicken hatcheries, it is crucial to gather data, conduct comparisons, and consider both short-term and long-term impacts. A comprehensive evaluation will provide insights into the innovation's effectiveness and its potential to contribute to the overall success and sustainability of the hatchery. Here are some of the key benefits associated with testing innovations:

Improved Performance: Testing innovations allows for the identification and implementation of practices, technologies, or processes that can enhance hatchery performance. It enables the hatchery to optimize parameters such as hatch rates, chick quality, biosecurity, and operational efficiency.

Risk Mitigation: Testing innovations helps to mitigate risks associated with adopting new practices or technologies. By conducting controlled tests, potential issues and challenges can be identified and addressed before full-scale implementation, reducing the risk of negative impacts on hatchery operations.

Cost Optimization: Through testing, hatcheries can assess the cost-effectiveness of innovations. It enables them to evaluate the potential return on investment (ROI) and determine whether the innovation justifies the associated costs. This supports informed decision-making and cost optimization in the long run.

Continuous Improvement: Testing innovations fosters a culture of continuous improvement within the hatchery. It encourages a proactive approach to identifying and implementing new and better practices, ensuring that the hatchery stays updated with the latest advancements in the industry.

Knowledge Generation and Sharing: Testing innovations generates valuable knowledge and insights about the effectiveness of specific practices or technologies in the context of chicken hatcheries. This knowledge can be shared within the hatchery and with the broader industry, contributing to collective learning and innovation in the poultry sector.

4.5.2. Assessing innovations in chicken hatcheries:

Assessing the costs of innovations in chicken hatcheries involves evaluating the expenses and investments associated with implementing and maintaining the innovation

When assessing the costs of innovations, it is important to conduct a thorough analysis of both upfront and ongoing expenses. Consider the long-term benefits and potential cost savings that the innovation may offer to determine whether the investment is economically viable for the hatchery.Here are some key areas to consider when assessing the costs of innovations:

Initial Investment: Determine the upfront costs required to implement the innovation. This may include the purchase of new equipment, technology, or infrastructure upgrades. Consider the capital expenditure needed to acquire and install the innovation in the hatchery.

Operational Costs: Evaluate the ongoing operational costs associated with the innovation. This includes expenses such as maintenance, repairs, replacement parts, and consumables specific to the innovation. Assess the impact on utility costs, such as electricity or water consumption, if applicable.

Training and Education: Consider the costs associated with training hatchery staff on the implementation, operation, and maintenance of the innovation. Training programs, workshops, or external consultants may be required to ensure proper understanding and utilization of the innovation.

Transition and Integration: Assess the costs related to transitioning from existing practices to the innovation. This may include modifying existing processes, reconfiguring infrastructure, or adjusting workflows. Consider any additional time, labor, or resources required during the transition phase.

Staffing and Labor: Evaluate whether the innovation requires changes in staffing levels or skill sets. Assess the impact on labor costs, including potential adjustments in staffing requirements, hiring or training of specialized personnel, or outsourcing certain tasks related to the innovation.

Monitoring and Maintenance: Consider the costs associated with monitoring and maintaining the innovation over its lifespan. This includes regular inspections, calibration, software updates, and repairs. Assess the need for ongoing technical support or service contracts.

Risk and Contingency: Account for potential risks and contingencies associated with the innovation. Evaluate the costs of mitigating risks, such as implementing additional safety measures or backup systems. Consider potential costs associated with addressing unforeseen issues or setbacks.

Opportunity Costs: Assess any potential opportunity costs resulting from the implementation of the innovation. Consider whether resources allocated to the innovation could have been used for other purposes within the hatchery. Evaluate the potential trade-offs and alternative uses of **resources.**

Regulatory Compliance: Evaluate whether the innovation requires compliance with specific regulations or standards. Consider any costs associated with meeting regulatory requirements, such as obtaining permits or certifications.

Return on Investment (ROI): Consider the timeframe required to recoup the costs of the innovation and achieve a positive ROI. Assess the potential financial benefits and savings that the innovation may bring in the long run, such as increased productivity, reduced expenses, or improved product quality.

4.6.Reporting outcomes

Reporting outcomes of innovations in chicken hatcheries is crucial for sharing knowledge, demonstrating the effectiveness of the innovation, and informing stakeholders about the benefits achieved.

Here are some steps to consider when reporting outcomes:

Define the Objectives: Clearly define the objectives of the innovation and the specific outcomes you want to report. This could include improved hatch rates, enhanced chick quality, cost savings, or any other key performance indicators that were targeted.

Gather Data: Collect relevant data and information to support your findings. This may include hatchery performance metrics, production data, financial records, and customer feedback. Ensure the data is accurate, reliable, and representative of the outcomes achieved.

Analyze Results: Analyze the collected data to assess the impact of the innovation. Compare the outcomes achieved with the pre-innovation baseline or any relevant benchmarks or industry standards. Identify trends, patterns, and significant findings that demonstrate the effectiveness of the innovation.

Present Findings: Present the outcomes in a clear and concise manner. Use visual aids such as charts, graphs, and tables to illustrate the results effectively. Provide a narrative that explains the findings, highlights key points, and emphasizes the benefits and improvements resulting from the innovation.

Provide Context: Provide context for the reported outcomes. Explain the implementation process, the innovation's features, and any challenges or limitations encountered. Discuss any adjustments made during the implementation and how they influenced the outcomes.

Discuss Methodology: Describe the methodology used to assess the outcomes. Explain the data collection methods, analysis techniques, and any statistical or qualitative approaches employed. This adds credibility and transparency to the reporting.

Highlight Benefits and Implications: Clearly articulate the benefits and implications of the reported outcomes. Discuss how the innovation has positively impacted hatchery performance, productivity, quality, sustainability, or other relevant areas. Emphasize the value and significance of the outcomes achieved.

Address Limitations: Acknowledge and address any limitations or constraints encountered during the reporting process. This could include sample size limitations, data availability, or other factors that may have influenced the outcomes. Provide a balanced view of the results, including both successes and areas for further improvement.

Discuss Future Directions: Discuss potential future directions or opportunities that the reported outcomes may open up. This could include further research, expanded implementation, or collaborations with other stakeholders. Highlight the potential for continued innovation and improvement in the hatchery sector.

Targeted Dissemination: Identify the appropriate channels for disseminating the outcomes. This could include

- scientific journals,

- industry publications,
- conferences, or online platforms.

Tailor the reporting style and language to the intended audience, whether they are scientists, industry professionals, or policymakers

Self-check 4	Witten test

Part I:Choice Questions:

1. Which of the following factors should be evaluated to assess the progress of a hatchery production plan?

a) Egg procurement

b) Biosecurity measures

c) Equipment maintenance and performance

d) All of the above

2. Where can you obtain information on innovations in chicken hatcheries?

a) Industry publications and websites

b) Conferences and trade shows

c) Research papers and studies

d) All of the above

3. What is the purpose of hatchery management software?

a) To automate egg handling processes

b) To optimize the incubation environment

c) To centralize and manage hatchery data

d) To monitor chick behavior and welfare

4. Which innovation in poultry hatchery houses helps reduce energy consumption and operational costs?

a) Automated candling and sorting of eggs

b) Advanced environmental control systems

c) Needle-free vaccination systems

d) Data analytics and artificial intelligence

PART II:Write True or False:

____1. Monitoring, reviewing, and improving hatchery performance is essential for maintaining optimal hatch rates, chick quality, and overall efficiency.

____2. By implementing steps to monitor, review, and improve hatchery performance, you can achieve better hatch rates, improved chick quality, and increased overall efficiency

____3. Automation and Robotics have been introduced to streamline and automate various processes within poultry hatchery houses

_____4. Genetic selection and breeding techniques have no impact on hatchery performance.

Part III: Short Answer Questions:

1. What are some key aspects to evaluate when monitoring hatch rates and chick quality in a hatchery?
2. How can hatchery owners and managers ensure accurate documentation and efficient operations when maintaining physical and financial records?
3. What are two benefits of using automation and robotics in poultry hatchery houses?
4. Name two biosecurity measures that can be implemented in poultry hatchery houses.

References

Book references

Jon Moyle 2020; Basic Management of Poultry in Developing Communities vol 3

WondmenehEsatuTadios Habte Alemayehu Amare Getnet Assefa 2016,Hatchery Management Manual

COBB 2008:Hatchery Management Guide 3rd edition

Janet Stromberg,1975:A Guide to Better Hatching, Stromberg Publishing Company,vol 4

Lyon Electric Company 1988:HatchingManual,Inc

Rob Harvey 1993:Practical Incubation. Hancock House Publishers,

Gregory S. Archer and A. Lee Cartwright 2017, Incubating and Hatching Eggs books 2nd edition

Webs Reference

https://youtu.be/Lq2dJKw6-Uk ,2018, manual handling techniques

https://youtu.be/PcjENnjXuVk,2020,egg selection techniques

https://youtu.be/NfkMFgzK34I,sep,2023incubation techniques,
https://youtu.be/AOJhed5BWMY,2022,candling techniques

https://youtu.be/mjQ-o4iOIVA,2020 candling techniques

https://youtu.be/qaCOq1PwvoI 1,waste of hatchery management

Experts who developed the learning guide

No	Name	Qualification	Educational background	Institution	Phone number	E-mail
1	**Gutu Hailu**	BSc	Animal Science	Mizan ATVET	0966195271	gutuhailu2020@gmail.com
2	Tilahun Mengistu	MSc.	Animal Production	Agarfa ATVT College	0921356009	Tilahunmengistu100@gmail.com
3	Yaeko Bonke	MSc	Animal Production	Wolaita Sodo Agricultural College	0932060350	jackmanbonke@gmail.com
4	Kinfu Guta	MSc	Animal Production	Alage ATVT	0925238394	kinfuguta@gmail.com
5	Obsa Diriba	MSc	Animal production	Gewane ATVET	0920022972	Obsa9072@gmail.com